

**NATIONAL INSTITUTE FOR FUSION SCIENCE****Excitation, Ionization, and Electron Capture  
Cross Sections of Atomic Hydrogen in  
Collisions with Multiply Charged Ions**

N. Toshima and H. Tawara

(Received - June 26, 1995)

NIFS-DATA-26

July 1995

**RESEARCH REPORT  
NIFS-DATA Series**

This report was prepared as a preprint of compilation of evaluated atomic, molecular, plasma-wall interaction, or nuclear data for fusion research, performed as a collaboration research of the Data and Planning Center, the National Institute for Fusion Science (NIFS) of Japan. This document is intended for future publication in a journal or data book after some rearrangements of its contents.

Inquiries about copyright and reproduction should be addressed to the Research Information Center, National Institute for Fusion Science, Nagoya 464-01, Japan.

NAGOYA, JAPAN

# Excitation, ionization, and electron capture cross sections of atomic hydrogen in collisions with multiply charged ions

N. Toshima<sup>†</sup> and H. Tawara

National Institute for Fusion Science, Nagoya 464-01, Japan

<sup>†</sup>Institute of Applied Physics, University of Tsukuba,  
Tsukuba, Ibaraki 305, Japan

## Abstract

Excitation, ionization, and electron capture cross sections of atomic hydrogen in collisions with multiply charged ions are presented for various projectile charges ( $Z=2-8$ ) in the energy range from 0.25 to 800 keV/amu. All the cross sections are calculated consistently in a unified manner by the atomic-orbital close-coupling method based on a Gaussian-type orbitals expansion.

Key words;



H atom, excitation cross sections, electron capture cross sections, ionization cross sections, multiply-charged ion impact, close-coupling method

# 1 Introduction

The close-coupling method has been widely used in various fields of atomic collision physics with the recognition that it is one of the most reliable and powerful theoretical approaches. It is mostly applied to scattering processes in the intermediate or low energy region, where the multiple scattering effect is so significant that perturbative approaches are not applicable.

The expansion in terms of atomic orbitals centered around the target and projectile nuclei is a good representation of the scattering wave function in the energy range where the projectile velocity is comparable to or larger than that of the relevant bound electron. While the Slater-type orbitals have been mostly used for the construction of basis function of the expansion, the existence of the electron translation factor (ETF), which accounts for the different translational motion of the two nuclei, makes difficult the precise evaluation of the two-center matrix elements when the collision energy is high or when the states have many nodal structures. The expansion in terms of bound states only is not satisfactory for the account of transient molecular effects that become more and more important as the collision energy decreases. The explicit inclusion of abundant continuum states is, of course, inevitable for the calculation of ionization cross sections.

In this report we present excitation, ionization, and electron capture cross sections for the collisions of atomic hydrogen with multiply-charged naked ions for the nuclear charges  $Z = 2 - 8$ ,



calculated by means of the Gaussian-basis close-coupling method, which was developed recently for the nonperturbative study of the Thomas mechanism [1] and extended later to the study of ionization processes [2, 3]. In this approach a large number of bound and continuum states are constructed by diagonalizing the atomic Hamiltonians of the target and the projectile in terms of the Gaussian-type basis functions as

$$\varphi_{nlm}(\mathbf{r}) = \sum_{\nu} c_{\nu}^{(nl)} e^{-\alpha_{\nu} r^2} r^{\ell} Y_{\ell m}(\hat{r}), \quad (4)$$

where the nonlinear parameters  $\alpha_{\nu}$  are generated as a modified geometrical progression.

The numbers of Gaussian-type orbitals used for the expansion of (3) are 20, 16, 13, 11, 10, 8, 7, and 6 for  $\ell = 0$  to 7, respectively. These numbers and the ranges of the nonlinear parameters  $\alpha_{\nu}$  are determined and optimized so as to produce the wave functions of all the bound states sufficiently accurately; the matrix elements among bound states agree with those calculated in terms of exact hydrogenic wave functions within an accuracy of 1 %. The energy levels of the atomic orbitals used for the present calculations are listed in a previous publication [3]. For increasing the Gaussian orbitals still further, the eigenvalues of the pseudocontinuum states shift to lower energies as a whole and the spacings among them become smaller but the calculated ionization cross sections change little. The convergence of excitation and capture cross sections is achieved for smaller number of Gaussian orbitals.

The relative motion of the heavy particles is described classically by a rectilinear trajectory with a constant velocity  $v$  in the impact-parameter representation. The time-dependent two-center electronic wave function is expanded in a standard way as

$$\Psi(\mathbf{r}, t) = \sum_{i=1}^{N_T} a_i(t) \psi_i^T(\mathbf{r}_T, t) + \sum_{i=N_T+1}^N a_i(t) \psi_i^P(\mathbf{r}_P, t), \quad (5)$$

where  $\psi_i^T(\mathbf{r}_T, t)$  and  $\psi_i^P(\mathbf{r}_P, t)$  are the target and the projectile atomic orbital with ap-

appropriate electron translation factors attached and  $\mathbf{r}_T, \mathbf{r}_P$  are the electron coordinates measured from the target and projectile nucleus, respectively. Further details of the numerical procedures have already been shown in previous papers [1, 2, 3].

## References

- [1] N. Toshima and J. Eichler, Phys. Rev. Lett. **66**, 1050 (1991); Phys. Rev. A **46**, 2564 (1992).
- [2] N. Toshima, J. Phys. B **25**, L635 (1992); N. Toshima, Phys. Lett. A **175**, 133 (1993).
- [3] N. Toshima, J. Phys. B **27**, L49 (1994); N. Toshima, Phys. Rev. A **50**, 3940 (1994).

## 2 Tables of cross sections

All the cross sections are given in the units of  $\text{cm}^2$ . The numbers in the brackets denote the powers of ten to be multiplied. The first column labeled by sum in each table gives the cross sections summed over the degenerate states belonging to the same principal quantum number  $n$ .

He2+ + H(1s) E= 1.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	2.89[-18]	5.10[-19]	2.38[-18]		
n=3	1.01[-19]	2.19[-20]	6.51[-20]	1.43[-20]	
n=4	1.37[-20]	1.87[-21]	3.81[-21]	4.46[-21]	3.53[-21]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	1.43[-23]	1.43[-23]				
n=2	2.45[-16]	6.26[-17]	1.82[-16]			
n=3	1.03[-17]	2.00[-19]	1.97[-18]	8.14[-18]		
n=4	5.82[-19]	2.21[-20]	2.35[-19]	1.06[-19]	2.19[-19]	
n=5	4.05[-20]	2.72[-21]	1.33[-20]	1.41[-20]	5.17[-21]	5.21[-21]

Ionization cross section 2.43[-20]

He2+ + H(1s) E= 2.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	9.15[-18]	1.86[-18]	7.28[-18]		
n=3	8.57[-19]	1.29[-20]	5.42[-19]	3.03[-19]	
n=4	1.81[-19]	2.65[-20]	2.33[-20]	6.19[-20]	6.93[-20]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	3.59[-21]	3.59[-21]				
n=2	6.04[-16]	1.32[-16]	4.72[-16]			
n=3	3.00[-17]	3.98[-18]	1.47[-17]	1.13[-17]		
n=4	2.70[-18]	3.09[-19]	2.91[-19]	7.97[-19]	1.30[-18]	
n=5	4.24[-19]	1.51[-20]	1.60[-19]	8.95[-20]	5.19[-20]	1.08[-19]

Ionization cross section 3.51[-19]

He2+ + H(1s) E= 3.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	8.01[-18]	3.87[-19]	7.62[-18]		
n=3	1.22[-18]	1.43[-19]	5.10[-19]	5.63[-19]	
n=4	4.12[-19]	3.27[-20]	1.35[-19]	1.49[-19]	9.50[-20]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	2.90[-20]	2.90[-20]				
n=2	8.21[-16]	1.63[-16]	6.58[-16]			
n=3	4.90[-17]	9.81[-18]	2.70[-17]	1.22[-17]		
n=4	2.51[-18]	1.34[-19]	4.18[-19]	9.90[-19]	9.64[-19]	
n=5	7.91[-19]	1.26[-19]	1.35[-19]	1.42[-19]	1.77[-19]	2.12[-19]

Ionization cross section 1.07[-18]

He2+ + H(1s) E= 4.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.40[-17]	1.40[-18]	1.26[-17]		
n=3	1.98[-18]	1.62[-19]	7.87[-19]	1.03[-18]	
n=4	8.18[-19]	6.06[-20]	1.77[-19]	2.16[-19]	3.65[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	9.44[-20]	9.44[-20]				
n=2	1.00[-15]	1.97[-16]	8.06[-16]			
n=3	5.77[-17]	1.14[-17]	3.10[-17]	1.53[-17]		
n=4	4.90[-18]	4.05[-19]	1.16[-18]	2.34[-18]	9.96[-19]	
n=5	1.26[-18]	8.53[-20]	2.51[-19]	3.85[-19]	3.57[-19]	1.85[-19]

Ionization cross section 2.40[-18]

He2+ + H(1s) E= 5.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	2.45[-17]	3.87[-18]	2.07[-17]		
n=3	3.52[-18]	1.55[-19]	1.95[-18]	1.42[-18]	
n=4	1.31[-18]	9.07[-20]	2.32[-19]	4.83[-19]	5.09[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	2.55[-19]	2.55[-19]				
n=2	1.11[-15]	2.13[-16]	9.00[-16]			
n=3	6.88[-17]	1.24[-17]	3.62[-17]	2.02[-17]		
n=4	8.21[-18]	4.76[-19]	2.74[-18]	3.78[-18]	1.21[-18]	
n=5	2.10[-18]	1.23[-19]	3.95[-19]	8.82[-19]	5.47[-19]	1.58[-19]

Ionization cross section 3.91[-18]

He2+ + H(1s) E= 7.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	3.73[-17]	4.42[-18]	3.29[-17]		
n=3	5.08[-18]	4.45[-19]	2.92[-18]	1.72[-18]	
n=4	2.55[-18]	1.79[-19]	1.01[-18]	1.05[-18]	3.03[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	5.00[-19]	5.00[-19]				
n=2	1.18[-15]	2.13[-16]	9.66[-16]			
n=3	8.29[-17]	1.21[-17]	3.73[-17]	3.35[-17]		
n=4	1.32[-17]	1.29[-18]	5.00[-18]	4.50[-18]	2.41[-18]	
n=5	4.07[-18]	2.32[-19]	1.03[-18]	1.57[-18]	7.59[-19]	4.83[-19]

Ionization cross section 8.02[-18]



He2+ + H(1s) E= 10.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	3.34[-17]	7.78[-18]	2.56[-17]		
n=3	5.89[-18]	7.65[-19]	2.24[-18]	2.89[-18]	
n=4	3.91[-18]	5.80[-19]	1.43[-18]	1.29[-18]	6.05[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	1.46[-18]	1.46[-18]				
n=2	1.22[-15]	2.27[-16]	9.89[-16]			
n=3	9.14[-17]	1.29[-17]	3.49[-17]	4.36[-17]		
n=4	1.63[-17]	2.56[-18]	6.07[-18]	3.60[-18]	4.08[-18]	
n=5	6.24[-18]	7.13[-19]	1.86[-18]	1.43[-18]	1.27[-18]	9.70[-19]

Ionization cross section 1.30[-17]

He2+ + H(1s) E= 15.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	3.27[-17]	1.25[-17]	2.03[-17]		
n=3	6.52[-18]	1.92[-18]	3.08[-18]	1.52[-18]	
n=4	6.14[-18]	1.68[-18]	2.48[-18]	1.57[-18]	4.04[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	6.41[-18]	6.41[-18]				
n=2	1.13[-15]	2.19[-16]	9.15[-16]			
n=3	1.15[-16]	2.25[-17]	5.40[-17]	3.88[-17]		
n=4	2.52[-17]	5.01[-18]	1.10[-17]	5.94[-18]	3.21[-18]	
n=5	1.03[-17]	2.03[-18]	3.86[-18]	2.35[-18]	1.54[-18]	5.66[-19]

Ionization cross section 2.78[-17]

He2+ + H(1s) E= 20.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	4.69[-17]	1.66[-17]	3.03[-17]		
n=3	1.15[-17]	3.54[-18]	5.70[-18]	2.29[-18]	
n=4	1.07[-17]	3.22[-18]	4.67[-18]	2.37[-18]	4.32[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	1.27[-17]	1.27[-17]				
n=2	9.37[-16]	1.82[-16]	7.55[-16]			
n=3	1.51[-16]	4.11[-17]	7.77[-17]	3.17[-17]		
n=4	4.03[-17]	1.18[-17]	1.93[-17]	7.16[-18]	2.02[-18]	
n=5	1.81[-17]	4.85[-18]	7.84[-18]	3.68[-18]	1.40[-18]	3.07[-19]

Ionization cross section 6.06[-17]

He2+ + H(1s) E= 25.00keV/amu  
Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	7.06[-17]	2.29[-17]	4.77[-17]		
n=3	1.63[-17]	4.84[-18]	8.32[-18]	3.14[-18]	
n=4	1.50[-17]	4.46[-18]	6.86[-18]	3.21[-18]	5.24[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	1.79[-17]	1.79[-17]				
n=2	7.32[-16]	1.46[-16]	5.86[-16]			
n=3	1.68[-16]	5.01[-17]	9.05[-17]	2.75[-17]		
n=4	5.48[-17]	1.96[-17]	2.51[-17]	8.52[-18]	1.60[-18]	
n=5	2.49[-17]	8.84[-18]	1.08[-17]	4.14[-18]	9.48[-19]	2.38[-19]

Ionization cross section 1.19[-16]

He2+ + H(1s) E= 30.00keV/amu  
Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	9.65[-17]	3.03[-17]	6.62[-17]		
n=3	2.33[-17]	6.28[-18]	1.23[-17]	4.76[-18]	
n=4	1.87[-17]	5.04[-18]	8.78[-18]	4.18[-18]	7.38[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	2.15[-17]	2.15[-17]				
n=2	5.59[-16]	1.16[-16]	4.43[-16]			
n=3	1.65[-16]	5.10[-17]	8.93[-17]	2.46[-17]		
n=4	5.88[-17]	2.23[-17]	2.71[-17]	8.38[-18]	1.04[-18]	
n=5	3.04[-17]	1.16[-17]	1.30[-17]	4.44[-18]	9.62[-19]	3.85[-19]

Ionization cross section 1.91[-16]

He2+ + H(1s) E= 35.00keV/amu  
Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.19[-16]	3.68[-17]	8.20[-17]		
n=3	3.15[-17]	8.68[-18]	1.63[-17]	6.47[-18]	
n=4	2.21[-17]	5.65[-18]	1.03[-17]	5.15[-18]	9.67[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	2.35[-17]	2.35[-17]				
n=2	4.24[-16]	9.25[-17]	3.32[-16]			
n=3	1.47[-16]	4.69[-17]	7.89[-17]	2.09[-17]		
n=4	5.88[-17]	2.15[-17]	2.80[-17]	8.21[-18]	1.08[-18]	
n=5	2.96[-17]	1.18[-17]	1.29[-17]	3.98[-18]	6.53[-19]	2.59[-19]

Ionization cross section 2.65[-16]

He2+ + H(1s) E= 40.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.35[-16]	4.01[-17]	9.49[-17]		
n=3	3.68[-17]	1.01[-17]	1.88[-17]	7.93[-18]	
n=4	2.89[-17]	8.01[-18]	1.34[-17]	6.42[-18]	1.10[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	2.43[-17]	2.43[-17]				
n=2	3.24[-16]	7.44[-17]	2.49[-16]			
n=3	1.22[-16]	3.98[-17]	6.54[-17]	1.72[-17]		
n=4	5.64[-17]	2.05[-17]	2.69[-17]	7.66[-18]	1.23[-18]	
n=5	2.93[-17]	1.10[-17]	1.34[-17]	4.04[-18]	6.68[-19]	1.40[-19]

Ionization cross section 3.27[-16]

He2+ + H(1s) E= 45.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.47[-16]	3.97[-17]	1.07[-16]		
n=3	4.04[-17]	1.07[-17]	2.09[-17]	8.83[-18]	
n=4	3.17[-17]	9.16[-18]	1.47[-17]	6.77[-18]	1.06[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	2.42[-17]	2.42[-17]				
n=2	2.49[-16]	6.05[-17]	1.89[-16]			
n=3	9.94[-17]	3.26[-17]	5.30[-17]	1.38[-17]		
n=4	4.83[-17]	1.82[-17]	2.27[-17]	6.30[-18]	1.10[-18]	
n=5	3.01[-17]	1.11[-17]	1.36[-17]	4.25[-18]	9.68[-19]	9.24[-20]

Ionization cross section 3.81[-16]

He2+ + H(1s) E= 50.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.58[-16]	3.79[-17]	1.20[-16]		
n=3	4.16[-17]	1.05[-17]	2.23[-17]	8.76[-18]	
n=4	3.08[-17]	8.27[-18]	1.44[-17]	6.94[-18]	1.19[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	2.34[-17]	2.34[-17]				
n=2	1.93[-16]	4.97[-17]	1.44[-16]			
n=3	8.03[-17]	2.65[-17]	4.28[-17]	1.11[-17]		
n=4	3.88[-17]	1.48[-17]	1.81[-17]	5.04[-18]	8.83[-19]	
n=5	2.61[-17]	1.01[-17]	1.14[-17]	3.65[-18]	9.56[-19]	5.72[-20]

Ionization cross section 4.28[-16]

He2+ + H(1s) E= 55.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.69[-16]	3.63[-17]	1.33[-16]		
n=3	4.16[-17]	9.40[-18]	2.34[-17]	8.76[-18]	
n=4	3.11[-17]	7.90[-18]	1.48[-17]	7.10[-18]	1.27[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	2.22[-17]	2.22[-17]				
n=2	1.51[-16]	4.12[-17]	1.10[-16]			
n=3	6.50[-17]	2.16[-17]	3.46[-17]	8.86[-18]		
n=4	3.12[-17]	1.17[-17]	1.47[-17]	4.15[-18]	6.90[-19]	
n=5	2.02[-17]	8.02[-18]	8.61[-18]	2.84[-18]	7.22[-19]	4.13[-20]
Ionization cross section			4.60[-16]			

He2+ + H(1s) E= 63.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.85[-16]	3.62[-17]	1.49[-16]		
n=3	4.39[-17]	8.91[-18]	2.59[-17]	9.17[-18]	
n=4	2.82[-17]	6.34[-18]	1.41[-17]	6.52[-18]	1.16[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	2.00[-17]	2.00[-17]				
n=2	1.04[-16]	3.09[-17]	7.33[-17]			
n=3	4.70[-17]	1.59[-17]	2.49[-17]	6.17[-18]		
n=4	2.31[-17]	8.66[-18]	1.10[-17]	3.02[-18]	4.40[-19]	
n=5	1.31[-17]	5.03[-18]	5.86[-18]	1.86[-18]	3.30[-19]	6.34[-20]
Ionization cross section			4.83[-16]			

He2+ + H(1s) E= 75.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	2.09[-16]	4.07[-17]	1.69[-16]		
n=3	4.88[-17]	8.47[-18]	2.99[-17]	1.05[-17]	
n=4	2.87[-17]	5.83[-18]	1.49[-17]	6.71[-18]	1.19[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	1.65[-17]	1.65[-17]				
n=2	6.18[-17]	2.07[-17]	4.11[-17]			
n=3	2.98[-17]	1.08[-17]	1.54[-17]	3.57[-18]		
n=4	1.42[-17]	5.62[-18]	6.62[-18]	1.69[-18]	2.34[-19]	
n=5	8.75[-18]	3.36[-18]	4.04[-18]	1.06[-18]	1.71[-19]	1.17[-19]
Ionization cross section			4.83[-16]			

He2+ + H(1s) E= 90.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	2.06[-16]	3.90[-17]	1.67[-16]		
n=3	5.48[-17]	9.13[-18]	3.39[-17]	1.18[-17]	
n=4	3.00[-17]	5.43[-18]	1.64[-17]	7.26[-18]	9.33[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	1.26[-17]	1.26[-17]				
n=2	3.40[-17]	1.28[-17]	2.12[-17]			
n=3	1.71[-17]	6.91[-18]	8.38[-18]	1.78[-18]		
n=4	8.54[-18]	3.43[-18]	3.92[-18]	1.04[-18]	1.52[-19]	
n=5	4.67[-18]	1.88[-18]	2.10[-18]	5.73[-19]	8.88[-20]	3.24[-20]

Ionization cross section 4.69[-16]

He2+ + H(1s) E=100.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.99[-16]	3.18[-17]	1.67[-16]		
n=3	5.29[-17]	9.81[-18]	3.27[-17]	1.04[-17]	
n=4	3.10[-17]	6.03[-18]	1.68[-17]	7.29[-18]	8.87[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	1.05[-17]	1.05[-17]				
n=2	2.36[-17]	9.50[-18]	1.41[-17]			
n=3	1.16[-17]	4.95[-18]	5.52[-18]	1.13[-18]		
n=4	6.34[-18]	2.67[-18]	2.82[-18]	7.41[-19]	1.04[-19]	
n=5	3.84[-18]	1.53[-18]	1.72[-18]	5.02[-19]	8.59[-20]	9.91[-21]

Ionization cross section 4.54[-16]

He2+ + H(1s) E=110.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	2.02[-16]	2.59[-17]	1.76[-16]		
n=3	4.66[-17]	8.31[-18]	3.02[-17]	8.07[-18]	
n=4	2.75[-17]	5.38[-18]	1.51[-17]	6.20[-18]	8.46[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	8.71[-18]	8.71[-18]				
n=2	1.67[-17]	7.16[-18]	9.57[-18]			
n=3	8.01[-18]	3.53[-18]	3.76[-18]	7.18[-19]		
n=4	4.46[-18]	1.98[-18]	1.93[-18]	4.83[-19]	6.60[-20]	
n=5	2.88[-18]	1.20[-18]	1.23[-18]	3.59[-19]	7.16[-20]	9.95[-21]

Ionization cross section 4.39[-16]

He2+ + H(1s) E=130.00keV/amu  
Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	2.15[-16]	2.40[-17]	1.91[-16]		
n=3	4.29[-17]	4.70[-18]	3.16[-17]	6.63[-18]	
n=4	2.10[-17]	3.03[-18]	1.31[-17]	4.37[-18]	5.41[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	6.01[-18]	6.01[-18]				
n=2	8.83[-18]	4.17[-18]	4.66[-18]			
n=3	4.06[-18]	1.97[-18]	1.81[-18]	2.82[-19]		
n=4	2.11[-18]	9.81[-19]	8.97[-19]	1.94[-19]	3.41[-20]	
n=5	1.37[-18]	6.24[-19]	5.59[-19]	1.43[-19]	2.87[-20]	1.47[-20]

Ionization cross section 3.96[-16]

He2+ + H(1s) E=150.00keV/amu  
Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	2.16[-16]	2.37[-17]	1.92[-16]		
n=3	4.62[-17]	5.80[-18]	3.37[-17]	6.73[-18]	
n=4	2.16[-17]	3.05[-18]	1.40[-17]	4.17[-18]	4.56[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	4.17[-18]	4.17[-18]				
n=2	5.00[-18]	2.51[-18]	2.49[-18]			
n=3	2.10[-18]	1.09[-18]	8.82[-19]	1.34[-19]		
n=4	1.15[-18]	5.87[-19]	4.63[-19]	8.21[-20]	2.25[-20]	
n=5	7.03[-19]	3.15[-19]	2.88[-19]	6.28[-20]	2.30[-20]	1.35[-20]

Ionization cross section 3.57[-16]

He2+ + H(1s) E=170.00keV/amu  
Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	2.09[-16]	2.27[-17]	1.87[-16]		
n=3	4.28[-17]	4.79[-18]	3.22[-17]	5.83[-18]	
n=4	2.16[-17]	2.87[-18]	1.39[-17]	4.18[-18]	6.36[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	2.93[-18]	2.93[-18]				
n=2	3.02[-18]	1.59[-18]	1.43[-18]			
n=3	1.23[-18]	6.38[-19]	5.05[-19]	8.41[-20]		
n=4	5.79[-19]	3.10[-19]	2.18[-19]	4.22[-20]	8.62[-21]	
n=5	3.79[-19]	1.94[-19]	1.36[-19]	2.74[-20]	1.75[-20]	4.35[-21]

Ionization cross section 3.34[-16]

He2+ + H(1s) E=200.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.94[-16]	1.92[-17]	1.75[-16]		
n=3	4.13[-17]	4.77[-18]	3.14[-17]	5.20[-18]	
n=4	1.97[-17]	2.36[-18]	1.34[-17]	3.59[-18]	3.57[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	1.76[-18]	1.76[-18]				
n=2	1.51[-18]	8.45[-19]	6.67[-19]			
n=3	6.44[-19]	3.31[-19]	2.61[-19]	5.18[-20]		
n=4	3.04[-19]	1.56[-19]	1.17[-19]	2.75[-20]	3.89[-21]	
n=5	1.68[-19]	8.21[-20]	6.37[-20]	1.67[-20]	3.64[-21]	1.35[-21]

Ionization cross section 3.04[-16]

He2+ + H(1s) E=300.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.66[-16]	1.23[-17]	1.53[-16]		
n=3	3.23[-17]	2.92[-18]	2.62[-17]	3.14[-18]	
n=4	1.34[-17]	1.38[-18]	9.98[-18]	1.90[-18]	1.16[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	4.44[-19]	4.44[-19]				
n=2	2.11[-19]	1.38[-19]	7.35[-20]			
n=3	8.87[-20]	5.38[-20]	2.73[-20]	7.65[-21]		
n=4	4.96[-20]	2.38[-20]	1.36[-20]	4.24[-21]	7.94[-21]	
n=5	3.47[-20]	1.51[-20]	9.38[-21]	4.25[-21]	3.90[-21]	2.07[-21]

Ionization cross section 2.12[-16]

He2+ + H(1s) E=400.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.44[-16]	1.04[-17]	1.34[-16]		
n=3	2.82[-17]	2.12[-18]	2.38[-17]	2.29[-18]	
n=4	1.05[-17]	7.62[-19]	8.52[-18]	1.17[-18]	7.18[-20]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	1.56[-19]	1.56[-19]				
n=2	5.59[-20]	3.79[-20]	1.80[-20]			
n=3	2.32[-20]	1.43[-20]	7.27[-21]	1.64[-21]		
n=4	1.09[-20]	6.09[-21]	3.13[-21]	8.49[-22]	8.03[-22]	
n=5	5.91[-21]	2.80[-21]	1.50[-21]	6.72[-22]	8.38[-22]	9.48[-23]

Ionization cross section 1.64[-16]

Li3+ + H(1s) E= 1.00keV/amu  
Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	8.61[-19]	3.28[-19]	5.33[-19]		
n=3	4.13[-20]	1.20[-20]	1.68[-20]	1.25[-20]	
n=4	2.15[-20]	3.96[-21]	1.69[-21]	1.29[-20]	2.95[-21]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	5.75[-24]	5.75[-24]				
n=2	5.81[-17]	2.73[-17]	3.08[-17]			
n=3	2.04[-16]	1.35[-17]	6.47[-17]	1.26[-16]		
n=4	4.19[-18]	6.38[-19]	7.09[-19]	8.57[-19]	1.99[-18]	
n=5	3.18[-19]	6.51[-20]	3.48[-20]	8.14[-20]	6.72[-20]	6.98[-20]

Ionization cross section 6.29[-20]

Li3+ + H(1s) E= 2.00keV/amu  
Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	4.40[-18]	1.67[-18]	2.73[-18]		
n=3	5.62[-19]	1.58[-19]	2.16[-19]	1.88[-19]	
n=4	1.73[-19]	2.19[-20]	1.62[-20]	6.57[-20]	6.92[-20]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	4.04[-24]	4.04[-24]				
n=2	1.99[-16]	9.63[-17]	1.03[-16]			
n=3	2.91[-16]	6.46[-17]	1.35[-16]	9.24[-17]		
n=4	2.02[-17]	4.68[-18]	3.59[-18]	5.67[-18]	6.22[-18]	
n=5	2.22[-18]	1.66[-19]	4.89[-19]	4.46[-19]	5.81[-19]	5.41[-19]

Ionization cross section 7.18[-19]

Li3+ + H(1s) E= 3.00keV/amu  
Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	5.18[-18]	1.66[-18]	3.52[-18]		
n=3	6.18[-19]	7.82[-20]	3.45[-19]	1.95[-19]	
n=4	3.94[-19]	7.09[-20]	9.68[-20]	9.06[-20]	1.36[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	6.99[-24]	6.99[-24]				
n=2	3.47[-16]	1.65[-16]	1.81[-16]			
n=3	3.45[-16]	4.89[-17]	1.53[-16]	1.43[-16]		
n=4	3.76[-17]	5.99[-18]	1.34[-17]	1.18[-17]	6.28[-18]	
n=5	2.45[-18]	2.66[-19]	4.43[-19]	5.99[-19]	6.52[-19]	4.89[-19]

Ionization cross section 1.32[-18]



Li3+ + H(1s) E= 5.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.12[-17]	3.87[-18]	7.29[-18]		
n=3	2.83[-18]	4.58[-19]	8.97[-19]	1.48[-18]	
n=4	1.53[-18]	2.90[-19]	3.83[-19]	3.10[-19]	5.49[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	6.17[-24]	6.17[-24]				
n=2	5.38[-16]	2.40[-16]	2.98[-16]			
n=3	5.85[-16]	1.27[-16]	1.95[-16]	2.63[-16]		
n=4	4.65[-17]	4.24[-18]	1.52[-17]	1.94[-17]	7.64[-18]	
n=5	5.97[-18]	1.00[-18]	1.49[-18]	1.65[-18]	1.16[-18]	6.62[-19]

Ionization cross section 6.12[-18]

Li3+ + H(1s) E= 6.25keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	2.08[-17]	7.43[-18]	1.34[-17]		
n=3	5.14[-18]	7.33[-19]	1.49[-18]	2.91[-18]	
n=4	3.11[-18]	2.35[-19]	6.94[-19]	9.80[-19]	1.20[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	8.01[-23]	8.01[-23]				
n=2	6.13[-16]	2.49[-16]	3.64[-16]			
n=3	7.36[-16]	1.44[-16]	2.34[-16]	3.58[-16]		
n=4	6.70[-17]	4.95[-18]	1.73[-17]	2.97[-17]	1.50[-17]	
n=5	9.92[-18]	1.01[-18]	2.36[-18]	3.50[-18]	2.16[-18]	8.86[-19]

Ionization cross section 9.59[-18]

Li3+ + H(1s) E= 10.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	2.91[-17]	6.31[-18]	2.28[-17]		
n=3	6.38[-18]	7.44[-19]	3.53[-18]	2.11[-18]	
n=4	5.15[-18]	7.77[-19]	1.79[-18]	1.54[-18]	1.05[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	9.25[-22]	9.25[-22]				
n=2	6.85[-16]	1.98[-16]	4.86[-16]			
n=3	1.03[-15]	9.16[-17]	3.02[-16]	6.35[-16]		
n=4	7.79[-17]	6.15[-18]	1.46[-17]	2.31[-17]	3.41[-17]	
n=5	1.66[-17]	1.12[-18]	3.45[-18]	6.13[-18]	2.70[-18]	3.24[-18]

Ionization cross section 1.69[-17]

Li3+ + H(1s) E= 15.00keV/amu  
Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	2.78[-17]	1.06[-17]	1.71[-17]		
n=3	5.30[-18]	1.93[-18]	1.82[-18]	1.55[-18]	
n=4	8.32[-18]	2.23[-18]	3.50[-18]	1.92[-18]	6.59[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	8.15[-21]	8.15[-21]				
n=2	6.99[-16]	1.53[-16]	5.45[-16]			
n=3	1.10[-15]	5.54[-17]	2.99[-16]	7.47[-16]		
n=4	1.07[-16]	1.27[-17]	3.18[-17]	3.70[-17]	2.56[-17]	
n=5	2.63[-17]	2.65[-18]	6.40[-18]	7.78[-18]	5.50[-18]	3.91[-18]

Ionization cross section 2.63[-17]

Li3+ + H(1s) E= 25.00keV/amu  
Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	5.89[-17]	2.27[-17]	3.62[-17]		
n=3	1.38[-17]	3.94[-18]	6.31[-18]	3.58[-18]	
n=4	2.54[-17]	7.47[-18]	1.08[-17]	5.83[-18]	1.29[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	1.19[-19]	1.19[-19]				
n=2	5.83[-16]	9.17[-17]	4.92[-16]			
n=3	7.98[-16]	3.75[-17]	2.23[-16]	5.38[-16]		
n=4	2.21[-16]	1.80[-17]	7.37[-17]	9.89[-17]	3.03[-17]	
n=5	7.64[-17]	9.42[-18]	2.68[-17]	2.86[-17]	9.76[-18]	1.83[-18]

Ionization cross section 1.12[-16]

Li3+ + H(1s) E= 35.00keV/amu  
Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.06[-16]	3.60[-17]	7.04[-17]		
n=3	3.19[-17]	1.05[-17]	1.56[-17]	5.84[-18]	
n=4	5.11[-17]	1.49[-17]	2.30[-17]	1.17[-17]	1.43[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	3.78[-19]	3.78[-19]				
n=2	4.27[-16]	5.37[-17]	3.73[-16]			
n=3	5.18[-16]	2.94[-17]	1.73[-16]	3.15[-16]		
n=4	2.23[-16]	1.66[-17]	7.91[-17]	9.61[-17]	3.12[-17]	
n=5	1.08[-16]	1.10[-17]	4.27[-17]	3.83[-17]	1.35[-17]	2.18[-18]

Ionization cross section 3.10[-16]

Li3+ + H(1s) E= 50.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.94[-16]	6.29[-17]	1.31[-16]		
n=3	5.25[-17]	1.32[-17]	2.69[-17]	1.24[-17]	
n=4	6.30[-17]	1.76[-17]	2.84[-17]	1.47[-17]	2.30[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	8.60[-19]	8.60[-19]				
n=2	2.53[-16]	2.69[-17]	2.26[-16]			
n=3	2.73[-16]	1.94[-17]	1.11[-16]	1.43[-16]		
n=4	1.50[-16]	1.35[-17]	5.92[-17]	5.91[-17]	1.85[-17]	
n=5	8.99[-17]	9.90[-18]	3.47[-17]	3.17[-17]	1.19[-17]	1.70[-18]

Ionization cross section 5.95[-16]

Li3+ + H(1s) E= 75.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	2.46[-16]	5.15[-17]	1.94[-16]		
n=3	6.43[-17]	1.62[-17]	3.48[-17]	1.34[-17]	
n=4	7.91[-17]	2.38[-17]	3.64[-17]	1.62[-17]	2.75[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	1.44[-18]	1.44[-18]				
n=2	1.08[-16]	1.21[-17]	9.62[-17]			
n=3	1.04[-16]	1.02[-17]	4.96[-17]	4.38[-17]		
n=4	6.00[-17]	6.68[-18]	2.52[-17]	2.21[-17]	6.05[-18]	
n=5	3.95[-17]	5.20[-18]	1.63[-17]	1.28[-17]	4.46[-18]	7.32[-19]

Ionization cross section 8.13[-16]

Li3+ + H(1s) E=100.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	3.03[-16]	5.46[-17]	2.48[-16]		
n=3	7.73[-17]	1.30[-17]	4.75[-17]	1.67[-17]	
n=4	6.24[-17]	1.31[-17]	3.07[-17]	1.56[-17]	2.91[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	1.58[-18]	1.58[-18]				
n=2	5.04[-17]	6.76[-18]	4.37[-17]			
n=3	4.31[-17]	5.75[-18]	2.26[-17]	1.48[-17]		
n=4	2.76[-17]	3.83[-18]	1.32[-17]	8.61[-18]	1.97[-18]	
n=5	1.76[-17]	2.24[-18]	8.02[-18]	5.55[-18]	1.57[-18]	2.08[-19]

Ionization cross section 8.11[-16]

Li3+ + H(1s) E=150.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	3.16[-16]	4.91[-17]	2.67[-16]		
n=3	7.93[-17]	1.31[-17]	4.94[-17]	1.68[-17]	
n=4	5.29[-17]	1.00[-17]	2.79[-17]	1.31[-17]	1.93[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	1.29[-18]	1.29[-18]				
n=2	1.39[-17]	2.78[-18]	1.11[-17]			
n=3	9.52[-18]	1.89[-18]	5.26[-18]	2.37[-18]		
n=4	5.85[-18]	1.27[-18]	2.92[-18]	1.42[-18]	2.36[-19]	
n=5	4.08[-18]	8.35[-19]	1.97[-18]	1.00[-18]	2.33[-19]	4.36[-20]

Ionization cross section 7.17[-16]

Li3+ + H(1s) E=200.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	3.41[-16]	3.08[-17]	3.10[-16]		
n=3	7.00[-17]	6.73[-18]	5.18[-17]	1.15[-17]	
n=4	3.81[-17]	4.88[-18]	2.34[-17]	8.61[-18]	1.20[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	9.07[-19]	9.07[-19]				
n=2	4.81[-18]	1.33[-18]	3.48[-18]			
n=3	3.01[-18]	7.80[-19]	1.64[-18]	5.91[-19]		
n=4	1.64[-18]	4.38[-19]	8.29[-19]	3.22[-19]	5.13[-20]	
n=5	9.60[-19]	2.53[-19]	4.66[-19]	1.91[-19]	4.40[-20]	5.58[-21]

Ionization cross section 5.82[-16]

Li3+ + H(1s) E=400.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	2.73[-16]	2.04[-17]	2.53[-16]		
n=3	5.31[-17]	4.64[-18]	4.27[-17]	5.68[-18]	
n=4	2.37[-17]	2.22[-18]	1.70[-17]	3.82[-18]	6.70[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	1.63[-19]	1.63[-19]				
n=2	2.28[-19]	9.79[-20]	1.30[-19]			
n=3	1.08[-19]	4.26[-20]	5.22[-20]	1.32[-20]		
n=4	5.20[-20]	1.93[-20]	2.04[-20]	9.06[-21]	3.23[-21]	
n=5	3.05[-20]	9.71[-21]	1.04[-20]	6.93[-21]	2.44[-21]	1.04[-21]

Ionization cross section 3.58[-16]

Be4+ + H(1s) E= 0.25keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.16[-19]	6.89[-20]	4.70[-20]		
n=3	9.02[-21]	2.33[-21]	4.17[-21]	2.52[-21]	
n=4	3.08[-21]	2.16[-22]	4.02[-22]	1.87[-21]	5.90[-22]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	4.47[-25]	4.47[-25]				
n=2	3.42[-22]	1.31[-22]	2.11[-22]			
n=3	2.73[-15]	3.09[-16]	7.26[-16]	1.69[-15]		
n=4	3.16[-16]	4.27[-17]	6.85[-17]	8.61[-17]	1.18[-16]	
n=5	1.13[-18]	1.54[-19]	1.51[-19]	8.16[-20]	3.17[-19]	4.22[-19]

Ionization cross section 4.15[-21]

Be4+ + H(1s) E= 0.50keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	6.67[-19]	2.10[-19]	4.56[-19]		
n=3	3.31[-20]	3.71[-21]	6.66[-21]	2.28[-20]	
n=4	2.10[-20]	1.07[-21]	5.41[-21]	7.59[-21]	6.89[-21]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	1.29[-24]	1.29[-24]				
n=2	4.42[-22]	1.07[-22]	3.35[-22]			
n=3	2.84[-15]	3.03[-16]	6.41[-16]	1.90[-15]		
n=4	3.18[-16]	1.27[-17]	4.46[-17]	1.13[-16]	1.47[-16]	
n=5	2.46[-18]	3.67[-19]	4.39[-19]	4.32[-19]	4.71[-19]	7.49[-19]

Ionization cross section 4.85[-20]

Be4+ + H(1s) E= 1.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.58[-18]	6.77[-19]	9.02[-19]		
n=3	2.02[-19]	7.60[-20]	7.35[-20]	5.26[-20]	
n=4	2.90[-19]	1.98[-20]	1.13[-19]	5.28[-20]	1.05[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	5.83[-24]	5.83[-24]				
n=2	2.10[-20]	8.71[-21]	1.23[-20]			
n=3	3.42[-15]	3.00[-16]	1.07[-15]	2.05[-15]		
n=4	3.12[-16]	4.44[-17]	7.83[-17]	1.17[-16]	7.25[-17]	
n=5	6.42[-18]	8.05[-19]	4.76[-19]	1.82[-18]	1.75[-18]	1.57[-18]

Ionization cross section 3.96[-19]

Be4+ + H(1s) E= 2.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	6.58[-18]	2.35[-18]	4.23[-18]		
n=3	9.17[-19]	1.79[-19]	3.09[-19]	4.29[-19]	
n=4	4.51[-19]	5.15[-20]	1.26[-19]	1.76[-19]	9.67[-20]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	1.91[-24]	1.91[-24]				
n=2	4.84[-19]	2.05[-19]	2.79[-19]			
n=3	3.42[-15]	2.87[-16]	1.22[-15]	1.92[-15]		
n=4	3.13[-16]	5.91[-17]	1.06[-16]	1.04[-16]	4.44[-17]	
n=5	2.14[-17]	2.77[-18]	3.87[-18]	4.77[-18]	6.29[-18]	3.71[-18]

Ionization cross section 2.45[-18]

Be4+ + H(1s) E= 3.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	6.77[-18]	2.70[-18]	4.07[-18]		
n=3	1.05[-18]	2.01[-19]	4.72[-19]	3.77[-19]	
n=4	1.24[-18]	4.55[-20]	3.79[-19]	4.46[-19]	3.70[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	8.98[-23]	8.98[-23]				
n=2	2.32[-18]	6.99[-19]	1.62[-18]			
n=3	3.21[-15]	2.63[-16]	1.15[-15]	1.80[-15]		
n=4	3.41[-16]	4.30[-17]	9.93[-17]	1.29[-16]	6.88[-17]	
n=5	3.03[-17]	2.95[-18]	6.48[-18]	9.28[-18]	8.22[-18]	3.40[-18]

Ionization cross section 3.48[-18]

Be4+ + H(1s) E= 4.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	5.08[-18]	2.46[-18]	2.61[-18]		
n=3	1.25[-18]	3.71[-19]	4.37[-19]	4.38[-19]	
n=4	1.82[-18]	3.32[-19]	4.85[-19]	6.84[-19]	3.21[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	1.17[-23]	1.17[-23]				
n=2	6.29[-18]	1.82[-18]	4.47[-18]			
n=3	3.01[-15]	2.58[-16]	1.03[-15]	1.72[-15]		
n=4	3.54[-16]	2.95[-17]	9.36[-17]	1.41[-16]	9.05[-17]	
n=5	2.09[-17]	1.50[-18]	3.24[-18]	7.84[-18]	6.02[-18]	2.30[-18]

Ionization cross section 6.27[-18]

Be4+ + H(1s) E= 6.25keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.27[-17]	5.18[-18]	7.56[-18]		
n=3	4.54[-18]	6.09[-19]	1.33[-18]	2.60[-18]	
n=4	3.82[-18]	5.11[-19]	8.85[-19]	1.31[-18]	1.11[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	1.32[-24]	1.32[-24]				
n=2	1.84[-17]	9.17[-18]	9.25[-18]			
n=3	2.78[-15]	2.68[-16]	9.21[-16]	1.59[-15]		
n=4	4.36[-16]	2.68[-17]	9.26[-17]	1.55[-16]	1.62[-16]	
n=5	3.78[-17]	3.57[-18]	4.12[-18]	7.31[-18]	1.38[-17]	9.00[-18]

Ionization cross section 1.76[-17]

Be4+ + H(1s) E= 9.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	2.02[-17]	5.47[-18]	1.48[-17]		
n=3	6.42[-18]	4.94[-19]	2.18[-18]	3.74[-18]	
n=4	6.92[-18]	6.49[-19]	1.95[-18]	2.58[-18]	1.74[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	5.51[-25]	5.51[-25]				
n=2	3.67[-17]	1.85[-17]	1.81[-17]			
n=3	2.47[-15]	1.68[-16]	7.36[-16]	1.57[-15]		
n=4	5.55[-16]	2.11[-17]	6.99[-17]	1.81[-16]	2.82[-16]	
n=5	4.55[-17]	3.32[-18]	6.13[-18]	6.96[-18]	1.06[-17]	1.85[-17]

Ionization cross section 2.28[-17]

Be4+ + H(1s) E= 12.50keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.87[-17]	5.89[-18]	1.28[-17]		
n=3	5.06[-18]	7.83[-19]	2.05[-18]	2.22[-18]	
n=4	8.96[-18]	1.65[-18]	3.57[-18]	2.39[-18]	1.35[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	3.09[-24]	3.09[-24]				
n=2	5.82[-17]	2.49[-17]	3.32[-17]			
n=3	2.22[-15]	1.04[-16]	5.66[-16]	1.55[-15]		
n=4	6.38[-16]	1.74[-17]	5.59[-17]	1.99[-16]	3.65[-16]	
n=5	5.56[-17]	3.23[-18]	1.10[-17]	1.55[-17]	1.06[-17]	1.53[-17]

Ionization cross section 2.47[-17]

Be4+ + H(1s) E= 25.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	5.37[-17]	2.23[-17]	3.15[-17]		
n=3	1.29[-17]	3.28[-18]	4.42[-18]	5.21[-18]	
n=4	3.81[-17]	1.02[-17]	1.72[-17]	8.78[-18]	1.85[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	5.93[-22]	5.93[-22]				
n=2	1.13[-16]	3.41[-17]	7.86[-17]			
n=3	1.39[-15]	4.83[-17]	2.57[-16]	1.09[-15]		
n=4	6.62[-16]	1.82[-17]	8.59[-17]	2.25[-16]	3.32[-16]	
n=5	2.05[-16]	7.52[-18]	3.17[-17]	6.12[-17]	7.23[-17]	3.21[-17]
Ionization cross section			1.37[-16]			

Be4+ + H(1s) E= 50.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.73[-16]	5.36[-17]	1.20[-16]		
n=3	4.76[-17]	1.65[-17]	2.17[-17]	9.41[-18]	
n=4	1.60[-16]	5.21[-17]	7.04[-17]	3.26[-17]	4.60[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	1.90[-20]	1.90[-20]				
n=2	1.05[-16]	2.09[-17]	8.45[-17]			
n=3	4.63[-16]	1.75[-17]	8.43[-17]	3.61[-16]		
n=4	3.52[-16]	1.08[-17]	5.59[-17]	1.55[-16]	1.30[-16]	
n=5	2.13[-16]	7.81[-18]	3.53[-17]	7.82[-17]	6.79[-17]	2.38[-17]
Ionization cross section			7.79[-16]			

Be4+ + H(1s) E= 75.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	3.13[-16]	9.65[-17]	2.16[-16]		
n=3	8.11[-17]	2.12[-17]	4.13[-17]	1.87[-17]	
n=4	1.61[-16]	4.56[-17]	7.09[-17]	3.76[-17]	6.88[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	6.57[-20]	6.57[-20]				
n=2	6.74[-17]	9.19[-18]	5.82[-17]			
n=3	1.81[-16]	7.22[-18]	4.44[-17]	1.30[-16]		
n=4	1.43[-16]	4.82[-18]	2.92[-17]	6.49[-17]	4.41[-17]	
n=5	1.02[-16]	3.98[-18]	2.29[-17]	3.95[-17]	2.80[-17]	7.45[-18]
Ionization cross section			1.12[-15]			



Be4+ + H(1s) E=100.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	3.37[-16]	7.44[-17]	2.63[-16]		
n=3	9.47[-17]	2.41[-17]	4.99[-17]	2.07[-17]	
n=4	1.42[-16]	4.33[-17]	6.28[-17]	3.00[-17]	5.44[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	1.22[-19]	1.22[-19]				
n=2	4.08[-17]	4.46[-18]	3.63[-17]			
n=3	8.04[-17]	3.82[-18]	2.52[-17]	5.15[-17]		
n=4	6.55[-17]	2.61[-18]	1.73[-17]	3.04[-17]	1.53[-17]	
n=5	4.61[-17]	1.88[-18]	1.05[-17]	1.94[-17]	1.19[-17]	2.45[-18]

Ionization cross section 1.22[-15]

Be4+ + H(1s) E=150.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	4.14[-16]	5.16[-17]	3.62[-16]		
n=3	9.84[-17]	1.43[-17]	6.22[-17]	2.20[-17]	
n=4	1.02[-16]	2.18[-17]	4.97[-17]	2.59[-17]	5.04[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	1.84[-19]	1.84[-19]				
n=2	1.59[-17]	1.58[-18]	1.43[-17]			
n=3	2.07[-17]	1.30[-18]	8.85[-18]	1.06[-17]		
n=4	1.54[-17]	1.12[-18]	5.80[-18]	6.41[-18]	2.09[-18]	
n=5	1.20[-17]	9.72[-19]	4.27[-18]	4.47[-18]	1.98[-18]	3.49[-19]

Ionization cross section 1.08[-15]

Be4+ + H(1s) E=200.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	4.60[-16]	6.03[-17]	3.99[-16]		
n=3	1.14[-16]	1.58[-17]	7.46[-17]	2.33[-17]	
n=4	8.53[-17]	1.49[-17]	4.49[-17]	2.15[-17]	3.92[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	1.94[-19]	1.94[-19]				
n=2	6.75[-18]	7.98[-19]	5.95[-18]			
n=3	7.09[-18]	6.92[-19]	3.56[-18]	2.83[-18]		
n=4	4.58[-18]	4.40[-19]	1.98[-18]	1.71[-18]	4.49[-19]	
n=5	3.04[-18]	3.00[-19]	1.28[-18]	1.04[-18]	3.60[-19]	6.84[-20]

Ionization cross section 9.33[-16]

Be4+ + H(1s) E=400.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	4.11[-16]	3.00[-17]	3.81[-16]		
n=3	8.69[-17]	7.85[-18]	6.56[-17]	1.34[-17]	
n=4	4.49[-17]	5.47[-18]	2.87[-17]	9.56[-18]	1.14[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	7.96[-20]	7.96[-20]				
n=2	4.92[-19]	1.20[-19]	3.72[-19]			
n=3	3.16[-19]	6.95[-20]	1.69[-19]	7.74[-20]		
n=4	1.72[-19]	3.76[-20]	7.46[-20]	4.88[-20]	1.05[-20]	
n=5	1.14[-19]	2.51[-20]	4.28[-20]	2.92[-20]	1.24[-20]	4.18[-21]

Ionization cross section 5.98[-16]

Be4+ + H(1s) E=600.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	3.80[-16]	2.31[-17]	3.57[-16]		
n=3	7.39[-17]	4.94[-18]	6.14[-17]	7.51[-18]	
n=4	3.15[-17]	2.59[-18]	2.35[-17]	5.03[-18]	4.11[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	4.44[-20]	4.44[-20]				
n=2	8.71[-20]	2.61[-20]	6.09[-20]			
n=3	4.70[-20]	1.35[-20]	2.57[-20]	7.79[-21]		
n=4	2.62[-20]	6.97[-21]	1.21[-20]	4.27[-21]	2.91[-21]	
n=5	1.55[-20]	3.95[-21]	5.82[-21]	2.01[-21]	1.13[-21]	2.60[-21]

Ionization cross section 4.16[-16]

Be4+ + H(1s) E=800.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	3.03[-16]	1.82[-17]	2.85[-16]		
n=3	5.98[-17]	3.92[-18]	5.06[-17]	5.27[-18]	
n=4	2.42[-17]	1.88[-18]	1.88[-17]	3.30[-18]	2.08[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	1.99[-20]	1.99[-20]				
n=2	2.32[-20]	9.05[-21]	1.42[-20]			
n=3	9.59[-21]	3.61[-21]	4.83[-21]	1.16[-21]		
n=4	4.66[-21]	1.88[-21]	2.18[-21]	5.31[-22]	8.01[-23]	
n=5	2.78[-21]	1.11[-21]	1.26[-21]	2.88[-22]	9.53[-23]	2.68[-23]

Ionization cross section 3.47[-16]

B5+ + H(1s) E= 0.25keV/amu  
Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	4.35[-19]	2.85[-19]	1.50[-19]		
n=3	4.66[-20]	1.65[-20]	1.33[-20]	1.68[-20]	
n=4	2.19[-20]	1.83[-21]	4.53[-21]	7.97[-21]	7.53[-21]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	8.66[-27]	8.66[-27]				
n=2	4.03[-22]	2.01[-23]	3.83[-22]			
n=3	4.41[-18]	1.02[-18]	1.82[-18]	1.56[-18]		
n=4	1.60[-15]	1.42[-16]	4.34[-16]	5.67[-16]	4.53[-16]	
n=5	3.56[-17]	4.12[-18]	7.52[-18]	8.66[-18]	5.64[-18]	9.69[-18]

Ionization cross section 3.43[-20]

B5+ + H(1s) E= 0.50keV/amu  
Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	7.98[-19]	4.03[-19]	3.95[-19]		
n=3	2.64[-19]	9.12[-20]	7.84[-20]	9.47[-20]	
n=4	1.51[-19]	3.29[-20]	2.34[-20]	4.37[-20]	5.06[-20]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	6.31[-26]	6.31[-26]				
n=2	2.12[-22]	4.59[-23]	1.66[-22]			
n=3	3.02[-17]	8.45[-18]	1.31[-17]	8.73[-18]		
n=4	1.61[-15]	9.18[-17]	2.89[-16]	5.76[-16]	6.54[-16]	
n=5	5.14[-17]	2.91[-18]	7.00[-18]	1.08[-17]	1.61[-17]	1.46[-17]

Ionization cross section 2.35[-19]

B5+ + H(1s) E= 1.00keV/amu  
Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.57[-18]	6.51[-19]	9.18[-19]		
n=3	5.83[-19]	7.62[-20]	2.92[-19]	2.15[-19]	
n=4	5.41[-19]	5.48[-20]	1.88[-19]	1.76[-19]	1.23[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	2.20[-25]	2.20[-25]				
n=2	2.70[-22]	7.00[-23]	2.00[-22]			
n=3	1.56[-16]	4.18[-17]	7.82[-17]	3.61[-17]		
n=4	1.82[-15]	1.21[-16]	3.72[-16]	5.80[-16]	7.52[-16]	
n=5	7.86[-17]	1.49[-17]	1.71[-17]	2.08[-17]	1.75[-17]	8.17[-18]

Ionization cross section 1.01[-18]

B5+ + H(1s) E= 2.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	4.64[-18]	8.76[-19]	3.76[-18]		
n=3	2.19[-18]	2.68[-19]	5.48[-19]	1.37[-18]	
n=4	1.34[-18]	1.77[-19]	4.37[-19]	5.16[-19]	2.07[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	4.24[-26]	4.24[-26]				
n=2	9.31[-22]	2.40[-22]	6.91[-22]			
n=3	4.16[-16]	1.10[-16]	1.89[-16]	1.17[-16]		
n=4	2.11[-15]	1.33[-16]	3.97[-16]	6.57[-16]	9.21[-16]	
n=5	1.10[-16]	1.26[-17]	1.90[-17]	2.79[-17]	3.67[-17]	1.43[-17]
ionization cross section			6.60[-18]			

B5+ + H(1s) E= 3.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	7.90[-18]	2.08[-18]	5.81[-18]		
n=3	2.26[-18]	3.37[-19]	1.27[-18]	6.58[-19]	
n=4	3.02[-18]	2.03[-19]	7.49[-19]	1.16[-18]	9.04[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	2.71[-25]	2.71[-25]				
n=2	1.04[-20]	5.75[-21]	4.70[-21]			
n=3	6.28[-16]	1.59[-16]	2.89[-16]	1.80[-16]		
n=4	2.07[-15]	1.09[-16]	2.97[-16]	6.49[-16]	1.01[-15]	
n=5	1.93[-16]	1.19[-17]	3.25[-17]	5.04[-17]	6.81[-17]	3.00[-17]
ionization cross section			8.59[-18]			

B5+ + H(1s) E= 4.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	4.07[-18]	6.62[-19]	3.41[-18]		
n=3	2.44[-18]	2.80[-19]	9.27[-19]	1.24[-18]	
n=4	4.18[-18]	3.23[-19]	1.22[-18]	1.53[-18]	1.11[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	1.59[-24]	1.59[-24]				
n=2	5.81[-20]	1.68[-20]	4.13[-20]			
n=3	7.89[-16]	1.86[-16]	3.64[-16]	2.39[-16]		
n=4	2.13[-15]	1.02[-16]	3.01[-16]	6.53[-16]	1.08[-15]	
n=5	1.80[-16]	5.06[-18]	1.50[-17]	4.71[-17]	7.57[-17]	3.73[-17]
ionization cross section			9.56[-18]			

B5+ + H(1s) E= 6.25keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.05[-17]	3.00[-18]	7.52[-18]		
n=3	5.98[-18]	8.51[-19]	3.47[-18]	1.66[-18]	
n=4	8.43[-18]	9.21[-19]	1.95[-18]	3.74[-18]	1.82[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	1.81[-27]	1.81[-27]				
n=2	2.91[-19]	1.18[-19]	1.73[-19]			
n=3	9.51[-16]	1.59[-16]	4.43[-16]	3.48[-16]		
n=4	2.39[-15]	1.03[-16]	3.38[-16]	7.35[-16]	1.21[-15]	
n=5	2.11[-16]	6.15[-18]	1.40[-17]	3.28[-17]	8.27[-17]	7.50[-17]

Ionization cross section 2.45[-17]

B5+ + H(1s) E= 9.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.76[-17]	5.30[-18]	1.23[-17]		
n=3	7.99[-18]	9.54[-19]	2.20[-18]	4.83[-18]	
n=4	1.04[-17]	9.77[-19]	3.06[-18]	3.72[-18]	2.64[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	5.06[-26]	5.06[-26]				
n=2	1.23[-18]	4.70[-19]	7.56[-19]			
n=3	1.02[-15]	1.22[-16]	4.34[-16]	4.64[-16]		
n=4	2.41[-15]	6.65[-17]	2.31[-16]	6.90[-16]	1.42[-15]	
n=5	2.47[-16]	7.50[-18]	1.88[-17]	2.50[-17]	8.11[-17]	1.15[-16]

Ionization cross section 3.83[-17]

B5+ + H(1s) E= 12.50keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.69[-17]	6.14[-18]	1.08[-17]		
n=3	7.96[-18]	1.17[-18]	3.38[-18]	3.41[-18]	
n=4	1.52[-17]	2.25[-18]	5.21[-18]	5.51[-18]	2.22[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	8.07[-25]	8.07[-25]				
n=2	2.88[-18]	1.40[-18]	1.48[-18]			
n=3	1.05[-15]	9.97[-17]	3.88[-16]	5.65[-16]		
n=4	2.29[-15]	4.48[-17]	1.67[-16]	5.76[-16]	1.51[-15]	
n=5	2.75[-16]	6.37[-18]	2.21[-17]	3.62[-17]	8.12[-17]	1.29[-16]

Ionization cross section 4.18[-17]

B5+ + H(1s) E= 25.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	6.45[-17]	2.82[-17]	3.62[-17]		
n=3	1.80[-17]	3.12[-18]	6.32[-18]	8.56[-18]	
n=4	7.06[-17]	1.77[-17]	3.00[-17]	1.78[-17]	5.14[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	8.26[-25]	8.26[-25]				
n=2	1.23[-17]	4.69[-18]	7.60[-18]			
n=3	9.23[-16]	5.35[-17]	2.55[-16]	6.14[-16]		
n=4	1.46[-15]	2.53[-17]	1.08[-16]	3.27[-16]	1.00[-15]	
n=5	5.19[-16]	1.14[-17]	3.55[-17]	1.07[-16]	1.69[-16]	1.96[-16]

Ionization cross section 1.73[-16]

B5+ + H(1s) E= 35.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.33[-16]	5.86[-17]	7.44[-17]		
n=3	3.44[-17]	5.93[-18]	1.17[-17]	1.68[-17]	
n=4	1.33[-16]	3.47[-17]	6.16[-17]	2.89[-17]	7.55[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	3.95[-23]	3.95[-23]				
n=2	1.96[-17]	6.95[-18]	1.27[-17]			
n=3	6.95[-16]	3.23[-17]	1.64[-16]	4.99[-16]		
n=4	9.90[-16]	1.86[-17]	8.49[-17]	2.26[-16]	6.61[-16]	
n=5	5.41[-16]	9.91[-18]	4.42[-17]	9.62[-17]	1.98[-16]	1.93[-16]

Ionization cross section 4.97[-16]

B5+ + H(1s) E= 50.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	2.05[-16]	9.13[-17]	1.14[-16]		
n=3	4.94[-17]	1.91[-17]	1.78[-17]	1.25[-17]	
n=4	2.85[-16]	8.06[-17]	1.32[-16]	6.17[-17]	1.03[-17]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	3.23[-22]	3.23[-22]				
n=2	2.50[-17]	7.62[-18]	1.73[-17]			
n=3	4.27[-16]	1.68[-17]	8.16[-17]	3.29[-16]		
n=4	5.69[-16]	1.22[-17]	4.98[-17]	1.58[-16]	3.49[-16]	
n=5	4.06[-16]	9.09[-18]	3.17[-17]	8.67[-17]	1.58[-16]	1.20[-16]

Ionization cross section 9.90[-16]

B5+ + H(1s) E= 75.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	2.72[-16]	6.63[-17]	2.06[-16]		
n=3	6.65[-17]	1.87[-17]	3.35[-17]	1.43[-17]	
n=4	2.72[-16]	9.18[-17]	1.18[-16]	5.29[-17]	8.84[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	2.31[-21]	2.31[-21]				
n=2	2.44[-17]	6.06[-18]	1.84[-17]			
n=3	1.96[-16]	7.77[-18]	3.20[-17]	1.56[-16]		
n=4	2.39[-16]	5.66[-18]	2.31[-17]	8.06[-17]	1.29[-16]	
n=5	1.92[-16]	4.40[-18]	1.86[-17]	5.38[-17]	7.14[-17]	4.40[-17]

Ionization cross section 1.52[-15]

B5+ + H(1s) E=100.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	4.07[-16]	1.15[-16]	2.92[-16]		
n=3	1.03[-16]	2.43[-17]	5.46[-17]	2.44[-17]	
n=4	2.44[-16]	7.15[-17]	1.09[-16]	5.51[-17]	9.22[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	6.27[-21]	6.27[-21]				
n=2	1.95[-17]	3.59[-18]	1.59[-17]			
n=3	9.71[-17]	3.50[-18]	1.74[-17]	7.62[-17]		
n=4	1.12[-16]	2.59[-18]	1.40[-17]	4.53[-17]	4.96[-17]	
n=5	9.14[-17]	1.96[-18]	8.83[-18]	2.92[-17]	3.64[-17]	1.50[-17]

Ionization cross section 1.61[-15]

B5+ + H(1s) E=150.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	4.70[-16]	7.13[-17]	3.99[-16]		
n=3	1.12[-16]	1.82[-17]	6.45[-17]	2.91[-17]	
n=4	1.57[-16]	4.27[-17]	6.98[-17]	3.64[-17]	8.15[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	1.90[-20]	1.90[-20]				
n=2	1.06[-17]	1.31[-18]	9.24[-18]			
n=3	2.92[-17]	1.10[-18]	7.04[-18]	2.11[-17]		
n=4	2.77[-17]	8.68[-19]	5.38[-18]	1.29[-17]	8.54[-18]	
n=5	2.42[-17]	8.42[-19]	4.63[-18]	9.49[-18]	7.36[-18]	1.88[-18]

Ionization cross section 1.55[-15]

B5+ + H(1s) E=200.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	5.31[-16]	7.15[-17]	4.60[-16]		
n=3	1.36[-16]	1.87[-17]	8.48[-17]	3.24[-17]	
n=4	1.36[-16]	2.67[-17]	6.58[-17]	3.65[-17]	7.39[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	2.67[-20]	2.67[-20]				
n=2	5.71[-18]	6.02[-19]	5.11[-18]			
n=3	1.11[-17]	5.32[-19]	3.57[-18]	6.99[-18]		
n=4	9.21[-18]	2.82[-19]	2.39[-18]	4.34[-18]	2.20[-18]	
n=5	6.72[-18]	2.58[-19]	1.53[-18]	2.70[-18]	1.78[-18]	4.51[-19]

Ionization cross section 1.30[-15]

B5+ + H(1s) E=400.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	5.51[-16]	5.17[-17]	4.99[-16]		
n=3	1.21[-16]	1.04[-17]	8.81[-17]	2.22[-17]	
n=4	6.96[-17]	8.65[-18]	4.14[-17]	1.65[-17]	3.06[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	2.77[-20]	2.77[-20]				
n=2	6.84[-19]	7.48[-20]	6.09[-19]			
n=3	6.48[-19]	5.82[-20]	3.31[-19]	2.58[-19]		
n=4	4.16[-19]	4.13[-20]	1.86[-19]	1.50[-19]	3.85[-20]	
n=5	3.02[-19]	3.85[-20]	1.24[-19]	9.29[-20]	3.93[-20]	7.20[-21]

Ionization cross section 8.88[-16]

B5+ + H(1s) E=800.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	4.46[-16]	2.66[-17]	4.20[-16]		
n=3	8.93[-17]	5.76[-18]	7.40[-17]	9.54[-18]	
n=4	3.90[-17]	3.20[-18]	2.87[-17]	6.50[-18]	5.93[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4
n=1	1.71[-21]	1.71[-21]				
n=2	2.66[-20]	1.84[-21]	2.48[-20]			
n=3	1.72[-20]	1.31[-21]	1.17[-20]	4.17[-21]		
n=4	9.79[-21]	9.47[-22]	6.07[-21]	2.47[-21]	3.04[-22]	
n=5	6.47[-21]	6.74[-22]	3.93[-21]	1.54[-21]	2.76[-22]	5.48[-23]

Ionization cross section 5.26[-16]



C6+ + H(1s) E= 0.25keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	2.20[-20]	1.43[-20]	7.65[-21]		
n=3	1.55[-20]	2.28[-21]	7.27[-21]	5.90[-21]	
n=4	1.42[-20]	1.56[-21]	5.40[-21]	3.30[-21]	3.94[-21]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5
n=1	3.73[-27]	3.73[-27]					
n=2	2.09[-21]	1.11[-23]	2.08[-21]				
n=3	8.31[-20]	3.93[-21]	2.31[-20]	5.61[-20]			
n=4	1.71[-15]	7.25[-17]	3.09[-16]	3.98[-16]	9.28[-16]		
n=5	6.73[-16]	6.74[-18]	1.44[-16]	1.49[-16]	1.36[-16]	2.38[-16]	
n=6	1.38[-18]	2.20[-21]	1.56[-19]	6.68[-20]	4.30[-19]	4.23[-19]	3.06[-19]

Ionization cross section 3.95[-20]

C6+ + H(1s) E= 0.50keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	3.08[-19]	1.05[-19]	2.03[-19]		
n=3	5.53[-20]	1.42[-20]	2.52[-20]	1.59[-20]	
n=4	4.22[-20]	4.43[-21]	1.32[-20]	1.30[-20]	1.15[-20]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5
n=1	7.41[-27]	7.41[-27]					
n=2	1.12[-21]	6.08[-22]	5.16[-22]				
n=3	4.56[-20]	8.70[-21]	2.16[-20]	1.53[-20]			
n=4	2.72[-15]	1.33[-16]	5.56[-16]	8.25[-16]	1.20[-15]		
n=5	6.80[-16]	4.17[-17]	8.44[-17]	1.55[-16]	2.45[-16]	1.55[-16]	
n=6	4.21[-18]	2.89[-19]	5.85[-19]	5.48[-19]	9.40[-19]	7.80[-19]	1.07[-18]

Ionization cross section 1.32[-19]

C6+ + H(1s) E= 1.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	6.53[-19]	3.10[-19]	3.43[-19]		
n=3	2.37[-19]	5.93[-20]	6.28[-20]	1.15[-19]	
n=4	2.52[-19]	1.63[-20]	3.78[-20]	9.72[-20]	1.00[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5
n=1	1.68[-26]	1.68[-26]					
n=2	7.64[-22]	3.92[-22]	3.72[-22]				
n=3	8.55[-19]	1.10[-19]	4.55[-19]	2.89[-19]			
n=4	3.47[-15]	2.18[-16]	7.36[-16]	1.19[-15]	1.32[-15]		
n=5	6.50[-16]	9.30[-17]	1.78[-16]	1.74[-16]	1.41[-16]	6.38[-17]	
n=6	1.08[-17]	8.09[-19]	1.69[-18]	2.17[-18]	2.84[-18]	1.99[-18]	1.30[-18]

Ionization cross section 5.98[-19]

C6+ + H(1s) E= 2.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	2.07[-18]	7.52[-19]	1.32[-18]		
n=3	1.31[-18]	2.23[-19]	3.66[-19]	7.24[-19]	
n=4	9.01[-19]	3.78[-20]	2.52[-19]	2.26[-19]	3.85[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5
n=1	5.08[-25]	5.08[-25]					
n=2	4.53[-23]	5.81[-24]	3.95[-23]				
n=3	1.20[-17]	2.04[-18]	6.34[-18]	3.62[-18]			
n=4	3.84[-15]	1.93[-16]	8.03[-16]	1.42[-15]	1.42[-15]		
n=5	7.16[-16]	4.45[-17]	1.19[-16]	1.79[-16]	2.25[-16]	1.48[-16]	
n=6	3.93[-17]	1.72[-18]	5.69[-18]	6.98[-18]	7.81[-18]	1.12[-17]	5.93[-18]
Ionization cross section			3.14[-18]				

C6+ + H(1s) E= 3.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	4.97[-18]	1.29[-18]	3.68[-18]		
n=3	1.31[-18]	2.82[-19]	4.57[-19]	5.73[-19]	
n=4	1.35[-18]	6.10[-20]	3.05[-19]	4.35[-19]	5.45[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5
n=1	2.04[-25]	2.04[-25]					
n=2	1.40[-22]	1.09[-22]	3.12[-23]				
n=3	3.79[-17]	9.27[-18]	1.74[-17]	1.13[-17]			
n=4	3.75[-15]	2.14[-16]	7.48[-16]	1.41[-15]	1.38[-15]		
n=5	7.67[-16]	3.14[-17]	8.65[-17]	1.44[-16]	2.64[-16]	2.41[-16]	
n=6	8.96[-17]	4.28[-18]	9.41[-18]	1.61[-17]	2.51[-17]	2.53[-17]	9.50[-18]
Ionization cross section			4.38[-18]				

C6+ + H(1s) E= 4.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	2.94[-18]	5.15[-19]	2.43[-18]		
n=3	2.28[-18]	2.35[-19]	6.87[-19]	1.36[-18]	
n=4	2.24[-18]	1.83[-19]	5.15[-19]	7.23[-19]	8.15[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5
n=1	4.21[-24]	4.21[-24]					
n=2	1.11[-21]	6.59[-22]	4.51[-22]				
n=3	6.88[-17]	2.13[-17]	2.98[-17]	1.76[-17]			
n=4	3.69[-15]	2.09[-16]	7.49[-16]	1.36[-15]	1.37[-15]		
n=5	8.74[-16]	1.65[-17]	6.03[-17]	1.56[-16]	3.05[-16]	3.37[-16]	
n=6	6.99[-17]	2.03[-18]	5.35[-18]	7.49[-18]	1.71[-17]	2.59[-17]	1.20[-17]
Ionization cross section			6.86[-18]				

C6+ + H(1s) E= 6.25keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	7.84[-18]	1.95[-18]	5.89[-18]		
n=3	4.07[-18]	8.56[-19]	1.46[-18]	1.76[-18]	
n=4	5.02[-18]	9.27[-19]	9.48[-19]	1.96[-18]	1.19[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5
n=1	1.32[-24]	1.32[-24]					
n=2	1.42[-20]	5.01[-21]	9.15[-21]				
n=3	1.29[-16]	3.28[-17]	6.08[-17]	3.49[-17]			
n=4	3.47[-15]	1.44[-16]	5.85[-16]	1.31[-15]	1.43[-15]		
n=5	1.12[-15]	1.90[-17]	6.80[-17]	1.34[-16]	3.62[-16]	5.39[-16]	
n=6	9.06[-17]	2.86[-18]	6.63[-18]	6.72[-18]	1.04[-17]	3.00[-17]	3.40[-17]
Ionization cross section			2.05[-17]				

C6+ + H(1s) E= 9.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.08[-17]	3.30[-18]	7.45[-18]		
n=3	5.47[-18]	5.93[-19]	2.41[-18]	2.47[-18]	
n=4	7.99[-18]	1.13[-18]	2.23[-18]	3.08[-18]	1.55[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5
n=1	8.38[-25]	8.38[-25]					
n=2	3.91[-20]	1.75[-20]	2.16[-20]				
n=3	1.82[-16]	3.67[-17]	8.49[-17]	6.02[-17]			
n=4	3.15[-15]	1.02[-16]	4.07[-16]	1.10[-15]	1.53[-15]		
n=5	1.32[-15]	1.74[-17]	6.64[-17]	1.26[-16]	3.78[-16]	7.27[-16]	
n=6	1.05[-16]	2.88[-18]	6.72[-18]	9.13[-18]	1.15[-17]	2.76[-17]	4.67[-17]
Ionization cross section			3.38[-17]				

C6+ + H(1s) E= 12.50keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.04[-17]	4.32[-18]	6.12[-18]		
n=3	7.80[-18]	1.01[-18]	2.74[-18]	4.06[-18]	
n=4	1.05[-17]	1.57[-18]	3.71[-18]	3.22[-18]	2.03[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5
n=1	3.32[-25]	3.32[-25]					
n=2	1.21[-19]	5.42[-20]	6.71[-20]				
n=3	2.37[-16]	3.82[-17]	1.03[-16]	9.57[-17]			
n=4	2.85[-15]	7.03[-17]	3.06[-16]	8.99[-16]	1.58[-15]		
n=5	1.37[-15]	1.41[-17]	5.94[-17]	1.36[-16]	3.61[-16]	7.97[-16]	
n=6	1.25[-16]	2.75[-18]	7.92[-18]	1.52[-17]	2.79[-17]	3.01[-17]	4.14[-17]
Ionization cross section			3.10[-17]				

C6+ + H(1s) E= 25.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	5.30[-17]	2.32[-17]	2.98[-17]		
n=3	2.39[-17]	6.35[-18]	9.64[-18]	7.93[-18]	
n=4	7.12[-17]	1.70[-17]	2.89[-17]	2.00[-17]	5.30[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5
n=1	8.44[-25]	8.44[-25]					
n=2	1.15[-18]	4.86[-19]	6.60[-19]				
n=3	3.34[-16]	3.75[-17]	1.21[-16]	1.75[-16]			
n=4	1.83[-15]	3.18[-17]	1.53[-16]	4.63[-16]	1.18[-15]		
n=5	1.18[-15]	1.34[-17]	5.81[-17]	1.47[-16]	3.15[-16]	6.46[-16]	
n=6	4.02[-16]	5.17[-18]	2.23[-17]	4.61[-17]	8.85[-17]	1.06[-16]	1.34[-16]
Ionization cross section			1.24[-16]				

C6+ + H(1s) E= 50.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.93[-16]	7.93[-17]	1.13[-16]		
n=3	7.16[-17]	1.71[-17]	3.34[-17]	2.11[-17]	
n=4	2.94[-16]	8.04[-17]	1.32[-16]	6.29[-17]	1.82[-17]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5
n=1	8.40[-24]	8.40[-24]					
n=2	4.46[-18]	1.65[-18]	2.82[-18]				
n=3	2.51[-16]	1.54[-17]	7.14[-17]	1.64[-16]			
n=4	6.73[-16]	1.27[-17]	5.19[-17]	1.43[-16]	4.66[-16]		
n=5	6.24[-16]	9.17[-18]	3.28[-17]	8.45[-17]	1.85[-16]	3.12[-16]	
n=6	4.35[-16]	6.58[-18]	2.37[-17]	5.04[-17]	9.77[-17]	1.55[-16]	1.02[-16]
Ionization cross section			1.03[-15]				

C6+ + H(1s) E= 75.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	3.08[-16]	1.06[-16]	2.03[-16]		
n=3	7.87[-17]	2.20[-17]	3.49[-17]	2.19[-17]	
n=4	3.41[-16]	1.11[-16]	1.52[-16]	6.58[-17]	1.28[-17]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5
n=1	4.62[-23]	4.62[-23]					
n=2	6.49[-18]	2.16[-18]	4.32[-18]				
n=3	1.45[-16]	6.56[-18]	3.13[-17]	1.07[-16]			
n=4	2.93[-16]	5.90[-18]	2.29[-17]	6.58[-17]	1.98[-16]		
n=5	2.82[-16]	4.71[-18]	1.58[-17]	4.38[-17]	1.02[-16]	1.16[-16]	
n=6	2.34[-16]	4.10[-18]	1.32[-17]	3.04[-17]	7.28[-17]	7.63[-17]	3.73[-17]
Ionization cross section			1.76[-15]				

C6+ + H(1s) E=100.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	4.16[-16]	1.12[-16]	3.05[-16]		
n=3	1.05[-16]	2.34[-17]	5.36[-17]	2.77[-17]	
n=4	3.17[-16]	1.05[-16]	1.38[-16]	6.41[-17]	9.82[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5
n=1	2.95[-22]	2.95[-22]					
n=2	6.85[-18]	2.03[-18]	4.83[-18]				
n=3	8.32[-17]	3.58[-18]	1.43[-17]	6.53[-17]			
n=4	1.42[-16]	3.36[-18]	1.06[-17]	4.03[-17]	8.79[-17]		
n=5	1.36[-16]	2.41[-18]	7.55[-18]	2.72[-17]	5.34[-17]	4.53[-17]	
n=6	1.13[-16]	2.23[-18]	5.73[-18]	2.13[-17]	3.43[-17]	3.57[-17]	1.37[-17]

Ionization cross section 1.96[-15]

C6+ + H(1s) E=150.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	5.13[-16]	1.10[-16]	4.03[-16]		
n=3	1.33[-16]	2.42[-17]	7.52[-17]	3.35[-17]	
n=4	2.37[-16]	7.11[-17]	1.05[-16]	5.09[-17]	1.02[-17]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5
n=1	1.26[-21]	1.26[-21]					
n=2	5.30[-18]	1.06[-18]	4.25[-18]				
n=3	3.09[-17]	1.13[-18]	5.18[-18]	2.46[-17]			
n=4	3.93[-17]	8.50[-19]	4.11[-18]	1.44[-17]	1.99[-17]		
n=5	3.68[-17]	7.70[-19]	3.62[-18]	1.09[-17]	1.46[-17]	6.94[-18]	
n=6	3.32[-17]	7.37[-19]	3.23[-18]	8.60[-18]	1.15[-17]	7.28[-18]	1.84[-18]

Ionization cross section 1.98[-15]

C6+ + H(1s) E=200.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	5.89[-16]	9.39[-17]	4.95[-16]		
n=3	1.39[-16]	2.29[-17]	8.30[-17]	3.33[-17]	
n=4	1.78[-16]	4.47[-17]	7.92[-17]	4.44[-17]	9.81[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5
n=1	3.08[-21]	3.08[-21]					
n=2	3.53[-18]	4.89[-19]	3.04[-18]				
n=3	1.30[-17]	4.67[-19]	2.73[-18]	9.85[-18]			
n=4	1.41[-17]	3.13[-19]	1.99[-18]	6.16[-18]	5.67[-18]		
n=5	1.11[-17]	2.05[-19]	1.40[-18]	3.82[-18]	4.21[-18]	1.49[-18]	
n=6	9.51[-18]	2.49[-19]	1.38[-18]	2.98[-18]	3.06[-18]	1.51[-18]	3.38[-19]

Ionization cross section 1.77[-15]

C6+ + H(1s) E=400.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	6.76[-16]	6.29[-17]	6.13[-16]		
n=3	1.51[-16]	1.48[-17]	1.07[-16]	2.96[-17]	
n=4	1.06[-16]	1.58[-17]	5.81[-17]	2.67[-17]	5.70[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5
n=1	6.32[-21]	6.32[-21]					
n=2	6.69[-19]	5.32[-20]	6.15[-19]				
n=3	9.96[-19]	4.73[-20]	3.98[-19]	5.52[-19]			
n=4	7.64[-19]	3.65[-20]	2.64[-19]	3.30[-19]	1.33[-19]		
n=5	5.66[-19]	3.10[-20]	1.88[-19]	2.10[-19]	1.11[-19]	2.67[-20]	
n=6	4.76[-19]	2.80[-20]	1.57[-19]	1.63[-19]	8.53[-20]	3.43[-20]	8.47[-21]
Ionization cross section			1.21[-15]				

C6+ + H(1s) E=800.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	6.03[-16]	3.70[-17]	5.66[-16]		
n=3	1.22[-16]	8.07[-18]	9.84[-17]	1.52[-17]	
n=4	5.77[-17]	5.31[-18]	3.99[-17]	1.11[-17]	1.37[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5
n=1	5.91[-21]	5.91[-21]					
n=2	6.59[-20]	4.96[-21]	6.09[-20]				
n=3	4.64[-20]	3.84[-21]	3.00[-20]	1.26[-20]			
n=4	2.71[-20]	2.29[-21]	1.51[-20]	8.30[-21]	1.40[-21]		
n=5	1.64[-20]	1.59[-21]	8.41[-21]	4.96[-21]	1.20[-21]	2.33[-22]	
n=6	1.11[-20]	1.22[-21]	5.32[-21]	3.23[-21]	1.01[-21]	3.19[-22]	4.82[-23]
Ionization cross section			7.36[-16]				

N7+ + H(1s) E= 0.50keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	5.78[-19]	1.83[-19]	3.94[-19]		
n=3	6.28[-20]	1.34[-20]	2.82[-20]	2.12[-20]	
n=4	5.48[-20]	1.15[-20]	1.32[-20]	2.03[-20]	9.77[-21]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6
n=1	4.68[-27]	4.68[-27]						
n=2	6.49[-23]	1.05[-23]	5.43[-23]					
n=3	5.88[-22]	1.08[-22]	3.24[-22]	1.56[-22]				
n=4	1.24[-16]	1.55[-17]	4.58[-17]	4.68[-17]	1.63[-17]			
n=5	5.91[-15]	2.63[-16]	8.52[-16]	1.38[-15]	1.46[-15]	1.95[-15]		
n=6	3.24[-16]	2.68[-17]	4.05[-17]	5.75[-17]	7.35[-17]	8.43[-17]	4.11[-17]	
n=7	4.33[-18]	3.06[-19]	5.03[-19]	4.51[-19]	6.96[-19]	1.00[-18]	8.22[-19]	5.48[-19]

Ionization cross section 1.46[-19]

N7+ + H(1s) E= 1.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	5.60[-19]	2.57[-19]	3.03[-19]		
n=3	2.24[-19]	5.22[-20]	7.59[-20]	9.55[-20]	
n=4	1.07[-19]	1.51[-20]	2.71[-20]	4.10[-20]	2.40[-20]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6
n=1	6.94[-27]	6.94[-27]						
n=2	1.97[-23]	1.56[-23]	4.05[-24]					
n=3	8.99[-21]	2.97[-21]	3.82[-21]	2.20[-21]				
n=4	4.46[-16]	7.68[-17]	1.59[-16]	1.47[-16]	6.40[-17]			
n=5	4.86[-15]	2.31[-16]	6.07[-16]	8.87[-16]	1.27[-15]	1.87[-15]		
n=6	3.07[-16]	2.55[-17]	5.93[-17]	7.35[-17]	7.60[-17]	5.14[-17]	2.12[-17]	
n=7	4.86[-18]	3.54[-19]	4.55[-19]	5.35[-19]	9.42[-19]	1.19[-18]	9.19[-19]	4.70[-19]

Ionization cross section 3.90[-19]

N7+ + H(1s) E= 2.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.65[-18]	5.84[-19]	1.07[-18]		
n=3	9.48[-19]	8.22[-20]	3.44[-19]	5.22[-19]	
n=4	7.77[-19]	1.28[-19]	9.99[-20]	2.03[-19]	3.45[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6
n=1	1.22[-27]	1.22[-27]						
n=2	1.00[-23]	3.35[-24]	6.65[-24]					
n=3	1.95[-19]	4.72[-20]	8.19[-20]	6.59[-20]				
n=4	9.25[-16]	1.19[-16]	3.20[-16]	3.07[-16]	1.79[-16]			
n=5	4.34[-15]	1.25[-16]	4.13[-16]	7.82[-16]	1.38[-15]	1.64[-15]		
n=6	3.02[-16]	9.07[-18]	2.85[-17]	4.49[-17]	6.95[-17]	1.00[-16]	4.96[-17]	
n=7	1.99[-17]	1.46[-18]	2.36[-18]	3.28[-18]	3.56[-18]	3.37[-18]	3.86[-18]	2.06[-18]

Ionization cross section 2.58[-18]

N7+ + H(1s) E= 3.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	2.66[-18]	7.66[-19]	1.90[-18]		
n=3	9.48[-19]	2.11[-19]	3.30[-19]	4.07[-19]	
n=4	1.12[-18]	6.72[-20]	3.20[-19]	3.62[-19]	3.73[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6
n=1	3.33[-26]	3.33[-26]						
n=2	9.09[-24]	3.24[-24]	5.85[-24]					
n=3	1.37[-18]	1.77[-19]	6.83[-19]	5.11[-19]				
n=4	1.24[-15]	1.59[-16]	4.19[-16]	3.99[-16]	2.65[-16]			
n=5	3.80[-15]	1.03[-16]	3.33[-16]	6.53[-16]	1.27[-15]	1.44[-15]		
n=6	4.09[-16]	1.20[-17]	3.06[-17]	5.25[-17]	9.36[-17]	1.33[-16]	8.73[-17]	
n=7	3.56[-17]	1.25[-18]	3.45[-18]	4.42[-18]	5.73[-18]	9.80[-18]	8.39[-18]	2.55[-18]
Ionization cross section			2.93[-18]					

N7+ + H(1s) E= 4.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.85[-18]	3.56[-19]	1.49[-18]		
n=3	1.25[-18]	9.51[-20]	4.60[-19]	6.93[-19]	
n=4	9.81[-19]	1.10[-19]	2.82[-19]	3.49[-19]	2.40[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6
n=1	9.19[-26]	9.19[-26]						
n=2	7.38[-24]	2.55[-24]	4.83[-24]					
n=3	3.90[-18]	8.53[-19]	1.71[-18]	1.33[-18]				
n=4	1.42[-15]	1.54[-16]	4.66[-16]	4.90[-16]	3.14[-16]			
n=5	3.70[-15]	9.06[-17]	2.86[-16]	6.36[-16]	1.25[-15]	1.44[-15]		
n=6	3.94[-16]	4.93[-18]	1.42[-17]	2.74[-17]	7.55[-17]	1.47[-16]	1.25[-16]	
n=7	2.89[-17]	7.43[-19]	2.26[-18]	3.40[-18]	5.61[-18]	6.31[-18]	6.31[-18]	4.30[-18]
Ionization cross section			4.64[-18]					

N7+ + H(1s) E= 6.25keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	5.65[-18]	1.96[-18]	3.69[-18]		
n=3	2.89[-18]	7.21[-19]	8.47[-19]	1.33[-18]	
n=4	3.43[-18]	4.47[-19]	8.04[-19]	9.94[-19]	1.18[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6
n=1	7.89[-25]	7.89[-25]						
n=2	4.97[-22]	1.25[-22]	3.72[-22]					
n=3	1.26[-17]	2.60[-18]	6.29[-18]	3.67[-18]				
n=4	1.58[-15]	1.02[-16]	3.88[-16]	6.21[-16]	4.68[-16]			
n=5	3.62[-15]	6.33[-17]	2.28[-16]	5.29[-16]	1.21[-15]	1.59[-15]		
n=6	4.64[-16]	4.90[-18]	1.71[-17]	3.42[-17]	4.91[-17]	1.44[-16]	2.15[-16]	
n=7	4.31[-17]	1.49[-18]	3.64[-18]	4.82[-18]	5.89[-18]	5.30[-18]	8.92[-18]	1.31[-17]
Ionization cross section			1.59[-17]					



N7+ + H(1s) E= 9.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	7.49[-18]	2.00[-18]	5.49[-18]		
n=3	4.28[-18]	7.09[-19]	1.74[-18]	1.83[-18]	
n=4	6.22[-18]	1.07[-18]	1.47[-18]	2.38[-18]	1.30[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6
n=1	1.07[-25]	1.07[-25]						
n=2	2.18[-21]	1.07[-21]	1.11[-21]					
n=3	2.29[-17]	5.54[-18]	1.03[-17]	7.00[-18]				
n=4	1.62[-15]	8.43[-17]	3.19[-16]	6.14[-16]	6.01[-16]			
n=5	3.39[-15]	4.34[-17]	1.68[-16]	4.15[-16]	1.06[-15]	1.70[-15]		
n=6	5.66[-16]	6.35[-18]	1.91[-17]	4.05[-17]	6.73[-17]	1.56[-16]	2.77[-16]	
n=7	5.02[-17]	1.13[-18]	3.18[-18]	4.91[-18]	5.81[-18]	7.09[-18]	9.61[-18]	1.85[-17]

Ionization cross section 2.82[-17]

N7+ + H(1s) E= 12.50keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	7.67[-18]	3.18[-18]	4.49[-18]		
n=3	6.51[-18]	1.10[-18]	2.34[-18]	3.07[-18]	
n=4	7.26[-18]	1.11[-18]	2.59[-18]	2.40[-18]	1.15[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6
n=1	4.94[-26]	4.94[-26]						
n=2	5.34[-21]	2.17[-21]	3.18[-21]					
n=3	3.80[-17]	8.03[-18]	1.74[-17]	1.25[-17]				
n=4	1.63[-15]	7.01[-17]	2.78[-16]	5.78[-16]	7.08[-16]			
n=5	3.08[-15]	3.13[-17]	1.28[-16]	3.56[-16]	9.00[-16]	1.67[-15]		
n=6	6.26[-16]	5.71[-18]	1.96[-17]	4.78[-17]	9.67[-17]	1.69[-16]	2.88[-16]	
n=7	6.68[-17]	1.40[-18]	3.92[-18]	7.14[-18]	1.06[-17]	1.58[-17]	1.22[-17]	1.57[-17]

Ionization cross section 2.52[-17]

N7+ + H(1s) E= 25.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	4.39[-17]	1.98[-17]	2.40[-17]		
n=3	3.06[-17]	7.82[-18]	1.33[-17]	9.50[-18]	
n=4	5.23[-17]	1.24[-17]	2.00[-17]	1.51[-17]	4.78[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6
n=1	1.67[-26]	1.67[-26]						
n=2	9.51[-20]	4.11[-20]	5.40[-20]					
n=3	8.82[-17]	1.38[-17]	3.62[-17]	3.81[-17]				
n=4	1.34[-15]	3.68[-17]	1.68[-16]	4.35[-16]	7.03[-16]			
n=5	1.93[-15]	1.88[-17]	7.51[-17]	2.25[-16]	5.01[-16]	1.11[-15]		
n=6	9.00[-16]	6.98[-18]	3.06[-17]	7.58[-17]	1.49[-16]	2.28[-16]	4.08[-16]	
n=7	3.02[-16]	2.87[-18]	1.25[-17]	2.56[-17]	4.85[-17]	5.93[-17]	7.02[-17]	8.31[-17]

Ionization cross section 1.06[-16]

N7+ + H(1s) E= 35.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.05[-16]	3.94[-17]	6.61[-17]		
n=3	7.67[-17]	1.81[-17]	3.32[-17]	2.53[-17]	
n=4	1.49[-16]	3.48[-17]	6.36[-17]	4.01[-17]	1.04[-17]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6
n=1	1.15[-23]	1.15[-23]						
n=2	2.90[-19]	1.17[-19]	1.73[-19]					
n=3	1.07[-16]	1.44[-17]	4.16[-17]	5.09[-17]				
n=4	9.94[-16]	2.26[-17]	1.01[-16]	2.97[-16]	5.73[-16]			
n=5	1.34[-15]	1.35[-17]	5.74[-17]	1.50[-16]	3.30[-16]	7.94[-16]		
n=6	8.68[-16]	7.17[-18]	3.04[-17]	7.18[-17]	1.42[-16]	2.13[-16]	4.03[-16]	
n=7	4.45[-16]	4.03[-18]	1.65[-17]	3.54[-17]	6.47[-17]	8.13[-17]	1.33[-16]	1.10[-16]
Ionization cross section			3.34[-16]					

N7+ + H(1s) E= 50.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	2.08[-16]	8.70[-17]	1.21[-16]		
n=3	1.04[-16]	2.60[-17]	4.47[-17]	3.35[-17]	
n=4	2.56[-16]	6.36[-17]	1.16[-16]	6.24[-17]	1.46[-17]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6
n=1	1.43[-26]	1.43[-26]						
n=2	7.25[-19]	2.85[-19]	4.41[-19]					
n=3	1.07[-16]	1.10[-17]	3.92[-17]	5.71[-17]				
n=4	6.09[-16]	1.14[-17]	5.30[-17]	1.56[-16]	3.89[-16]			
n=5	8.05[-16]	8.31[-18]	3.72[-17]	9.03[-17]	1.83[-16]	4.86[-16]		
n=6	6.42[-16]	5.53[-18]	2.30[-17]	5.52[-17]	9.93[-17]	1.94[-16]	2.65[-16]	
n=7	4.44[-16]	4.53[-18]	1.57[-17]	3.80[-17]	5.82[-17]	1.00[-16]	1.45[-16]	8.28[-17]
Ionization cross section			1.04[-15]					

N7+ + H(1s) E= 56.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	2.37[-16]	1.04[-16]	1.32[-16]		
n=3	1.13[-16]	3.07[-17]	4.85[-17]	3.36[-17]	
n=4	2.93[-16]	7.69[-17]	1.32[-16]	6.81[-17]	1.59[-17]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6
n=1	1.72[-23]	1.72[-23]						
n=2	9.13[-19]	3.49[-19]	5.64[-19]					
n=3	1.02[-16]	9.24[-18]	3.62[-17]	5.70[-17]				
n=4	5.04[-16]	9.56[-18]	4.17[-17]	1.22[-16]	3.31[-16]			
n=5	6.60[-16]	7.56[-18]	2.95[-17]	7.68[-17]	1.51[-16]	3.96[-16]		
n=6	5.51[-16]	5.44[-18]	1.87[-17]	5.01[-17]	8.53[-17]	1.80[-16]	2.11[-16]	
n=7	4.05[-16]	4.70[-18]	1.32[-17]	3.65[-17]	5.19[-17]	1.01[-16]	1.30[-16]	6.78[-17]
Ionization cross section			1.33[-15]					

N7+ + H(1s) E= 75.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	2.91[-16]	1.18[-16]	1.73[-16]		
n=3	1.45[-16]	4.51[-17]	6.11[-17]	3.89[-17]	
n=4	3.99[-16]	1.18[-16]	1.80[-16]	8.24[-17]	1.83[-17]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6
n=1	1.38[-24]	1.38[-24]						
n=2	1.51[-18]	5.77[-19]	9.36[-19]					
n=3	8.15[-17]	5.67[-18]	2.49[-17]	5.10[-17]				
n=4	2.87[-16]	5.63[-18]	2.29[-17]	5.95[-17]	1.99[-16]			
n=5	3.61[-16]	4.25[-18]	1.78[-17]	3.93[-17]	9.71[-17]	2.03[-16]		
n=6	3.21[-16]	3.03[-18]	1.40[-17]	2.72[-17]	6.33[-17]	1.15[-16]	9.94[-17]	
n=7	2.67[-16]	2.41[-18]	1.13[-17]	2.08[-17]	4.27[-17]	8.28[-17]	7.49[-17]	3.21[-17]
Ionization cross section			1.94[-15]					

N7+ + H(1s) E=100.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	4.05[-16]	1.11[-16]	2.94[-16]		
n=3	1.43[-16]	3.63[-17]	7.01[-17]	3.61[-17]	
n=4	3.71[-16]	1.29[-16]	1.59[-16]	7.12[-17]	1.31[-17]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6
n=1	5.15[-24]	5.15[-24]						
n=2	1.99[-18]	6.94[-19]	1.29[-18]					
n=3	5.53[-17]	2.80[-18]	1.39[-17]	3.86[-17]				
n=4	1.48[-16]	2.88[-18]	1.19[-17]	3.03[-17]	1.03[-16]			
n=5	1.76[-16]	2.43[-18]	8.72[-18]	2.20[-17]	5.61[-17]	8.73[-17]		
n=6	1.58[-16]	2.19[-18]	5.83[-18]	1.66[-17]	3.72[-17]	5.68[-17]	3.93[-17]	
n=7	1.35[-16]	1.94[-18]	5.10[-18]	1.25[-17]	3.02[-17]	3.90[-17]	3.42[-17]	1.20[-17]
Ionization cross section			2.31[-15]					

N7+ + H(1s) E=150.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	5.57[-16]	1.31[-16]	4.26[-16]		
n=3	1.78[-16]	4.18[-17]	9.54[-17]	4.12[-17]	
n=4	3.06[-16]	9.88[-17]	1.33[-16]	6.29[-17]	1.12[-17]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6
n=1	6.79[-23]	6.79[-23]						
n=2	2.19[-18]	6.18[-19]	1.57[-18]					
n=3	2.58[-17]	1.12[-18]	4.58[-18]	2.01[-17]				
n=4	4.67[-17]	9.80[-19]	3.60[-18]	1.20[-17]	3.01[-17]			
n=5	4.94[-17]	8.23[-19]	2.95[-18]	9.27[-18]	1.99[-17]	1.65[-17]		
n=6	4.53[-17]	6.85[-19]	2.40[-18]	7.21[-18]	1.50[-17]	1.45[-17]	5.49[-18]	
n=7	4.09[-17]	6.25[-19]	1.90[-18]	5.68[-18]	1.22[-17]	1.26[-17]	6.43[-18]	1.47[-18]
Ionization cross section			2.37[-15]					

N7+ + H(1s) E=200.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	6.76[-16]	1.13[-16]	5.63[-16]		
n=3	1.69[-16]	2.58[-17]	9.92[-17]	4.40[-17]	
n=4	2.34[-16]	6.44[-17]	1.02[-16]	5.47[-17]	1.28[-17]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6
n=1	2.42[-22]	2.42[-22]						
n=2	1.80[-18]	3.92[-19]	1.41[-18]					
n=3	1.25[-17]	5.23[-19]	2.13[-18]	9.89[-18]				
n=4	1.82[-17]	4.21[-19]	1.64[-18]	5.96[-18]	1.02[-17]			
n=5	1.66[-17]	2.73[-19]	1.16[-18]	3.96[-18]	7.08[-18]	4.08[-18]		
n=6	1.38[-17]	2.42[-19]	9.76[-19]	3.08[-18]	4.95[-18]	3.59[-18]	1.00[-18]	
n=7	1.23[-17]	2.93[-19]	9.94[-19]	2.69[-18]	3.97[-18]	3.00[-18]	1.11[-18]	2.40[-19]
Ionization cross section			2.15[-15]					

N7+ + H(1s) E=400.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	7.80[-16]	9.15[-17]	6.88[-16]		
n=3	1.80[-16]	2.00[-17]	1.22[-16]	3.78[-17]	
n=4	1.44[-16]	2.48[-17]	7.34[-17]	3.64[-17]	9.20[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6
n=1	1.19[-21]	1.19[-21]						
n=2	5.66[-19]	5.21[-20]	5.14[-19]					
n=3	1.27[-18]	4.10[-20]	3.76[-19]	8.58[-19]				
n=4	1.17[-18]	2.61[-20]	2.68[-19]	5.47[-19]	3.29[-19]			
n=5	8.97[-19]	2.37[-20]	1.71[-19]	3.61[-19]	2.68[-19]	7.38[-20]		
n=6	7.44[-19]	2.62[-20]	1.58[-19]	2.68[-19]	1.85[-19]	8.48[-20]	2.10[-20]	
n=7	7.14[-19]	3.09[-20]	1.65[-19]	2.41[-19]	1.62[-19]	8.04[-20]	2.52[-20]	1.02[-20]
Ionization cross section			1.59[-15]					

N7+ + H(1s) E=600.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	7.86[-16]	5.79[-17]	7.28[-16]		
n=3	1.61[-16]	1.21[-17]	1.22[-16]	2.62[-17]	
n=4	9.42[-17]	1.16[-17]	5.64[-17]	2.19[-17]	4.28[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6
n=1	3.65[-21]	3.65[-21]						
n=2	1.79[-19]	2.17[-20]	1.57[-19]					
n=3	2.48[-19]	1.77[-20]	1.02[-19]	1.27[-19]				
n=4	2.01[-19]	1.17[-20]	6.41[-20]	9.18[-20]	3.37[-20]			
n=5	1.37[-19]	7.44[-21]	3.86[-20]	5.22[-20]	2.97[-20]	9.05[-21]		
n=6	9.31[-20]	4.71[-21]	2.44[-20]	3.38[-20]	1.97[-20]	6.68[-21]	3.76[-21]	
n=7	7.13[-20]	4.83[-21]	1.68[-20]	2.35[-20]	1.61[-20]	4.43[-21]	2.73[-21]	2.88[-21]
Ionization cross section			1.16[-15]					

N7+ + H(1s) E=800.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	7.56[-16]	4.54[-17]	7.10[-16]		
n=3	1.54[-16]	9.55[-18]	1.23[-16]	2.11[-17]	
n=4	7.97[-17]	7.76[-18]	5.25[-17]	1.67[-17]	2.64[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6
n=1	2.59[-21]	2.59[-21]						
n=2	6.65[-20]	9.69[-21]	5.68[-20]					
n=3	6.79[-20]	6.91[-21]	3.06[-20]	3.03[-20]				
n=4	4.78[-20]	4.96[-21]	1.73[-20]	1.97[-20]	5.72[-21]			
n=5	3.30[-20]	3.55[-21]	1.13[-20]	1.21[-20]	4.82[-21]	1.22[-21]		
n=6	2.45[-20]	2.49[-21]	8.00[-21]	8.54[-21]	3.94[-21]	1.33[-21]	2.29[-22]	
n=7	1.97[-20]	1.74[-21]	5.92[-21]	6.79[-21]	3.49[-21]	1.29[-21]	4.35[-22]	6.66[-23]

Ionization cross section 9.14[-16]

O8+ + H(1s) E= 0.50keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.64[-19]	4.45[-20]	1.19[-19]		
n=3	2.26[-20]	8.93[-21]	6.50[-21]	7.20[-21]	
n=4	2.46[-20]	7.33[-21]	6.77[-21]	5.16[-21]	5.37[-21]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6	l=7
n=1	8.37[-27]	8.37[-27]							
n=2	1.78[-21]	1.40[-21]	3.86[-22]						
n=3	7.33[-19]	2.36[-19]	2.50[-19]	2.48[-19]					
n=4	2.03[-18]	3.94[-19]	4.71[-19]	7.46[-19]	4.14[-19]				
n=5	3.62[-15]	3.70[-17]	2.49[-16]	7.24[-16]	1.31[-15]	1.30[-15]			
n=6	1.29[-15]	5.16[-17]	2.01[-16]	2.20[-16]	3.76[-16]	2.12[-16]	2.30[-16]		
n=7	2.79[-17]	1.06[-18]	5.55[-18]	4.19[-18]	5.72[-18]	4.04[-18]	5.11[-18]	2.22[-18]	
n=8	8.30[-19]	1.34[-20]	8.27[-20]	9.87[-20]	1.03[-19]	1.03[-19]	1.89[-19]	1.52[-19]	8.79[-20]

Ionization cross section 7.02[-20]

O8+ + H(1s) E= 1.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	2.36[-19]	7.56[-20]	1.60[-19]		
n=3	1.19[-19]	2.57[-20]	6.45[-20]	2.90[-20]	
n=4	9.20[-20]	1.43[-20]	1.96[-20]	2.71[-20]	3.11[-20]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6	l=7
n=1	9.76[-27]	9.76[-27]							
n=2	2.31[-22]	3.51[-23]	1.96[-22]						
n=3	5.98[-22]	1.72[-22]	1.96[-22]	2.31[-22]					
n=4	1.63[-17]	2.20[-18]	4.87[-18]	6.38[-18]	2.81[-18]				
n=5	4.63[-15]	9.94[-17]	6.32[-16]	1.16[-15]	1.42[-15]	1.32[-15]			
n=6	1.36[-15]	3.52[-17]	2.34[-16]	2.98[-16]	3.41[-16]	2.32[-16]	2.22[-16]		
n=7	4.93[-17]	5.94[-19]	4.85[-18]	8.47[-18]	1.11[-17]	1.20[-17]	8.20[-18]	4.12[-18]	
n=8	1.57[-18]	7.69[-20]	1.81[-19]	2.31[-19]	2.52[-19]	2.56[-19]	2.69[-19]	1.87[-19]	1.14[-19]

Ionization cross section 3.33[-19]

O8+ + H(1s) E= 2.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	9.19[-19]	3.24[-19]	5.95[-19]		
n=3	5.05[-19]	5.36[-20]	1.92[-19]	2.59[-19]	
n=4	3.39[-19]	2.72[-20]	8.00[-20]	7.45[-20]	1.58[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6	l=7
n=1	2.78[-27]	2.78[-27]							
n=2	1.93[-23]	3.49[-24]	1.59[-23]						
n=3	3.99[-21]	6.96[-22]	1.88[-21]	1.42[-21]					
n=4	9.44[-17]	1.06[-17]	3.62[-17]	3.18[-17]	1.57[-17]				
n=5	4.73[-15]	9.14[-17]	5.45[-16]	1.22[-15]	1.52[-15]	1.36[-15]			
n=6	1.48[-15]	1.34[-17]	8.92[-17]	1.88[-16]	3.10[-16]	4.43[-16]	4.40[-16]		
n=7	8.89[-17]	1.67[-18]	5.69[-18]	9.68[-18]	1.29[-17]	1.78[-17]	2.57[-17]	1.55[-17]	
n=8	8.17[-18]	3.47[-19]	9.34[-19]	8.73[-19]	1.47[-18]	1.55[-18]	1.34[-18]	9.90[-19]	6.71[-19]

Ionization cross section 1.55[-18]

08+ + H(1s) E= 3.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.61[-18]	5.49[-19]	1.06[-18]		
n=3	5.98[-19]	1.08[-19]	1.63[-19]	3.27[-19]	
n=4	6.31[-19]	3.15[-20]	8.92[-20]	2.64[-19]	2.46[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6	l=7
n=1	5.93[-26]	5.93[-26]							
n=2	2.09[-21]	1.30[-21]	7.95[-22]						
n=3	4.55[-20]	1.13[-20]	1.34[-20]	2.08[-20]					
n=4	2.02[-16]	3.04[-17]	8.34[-17]	5.45[-17]	3.40[-17]				
n=5	4.59[-15]	1.05[-16]	5.58[-16]	1.16[-15]	1.51[-15]	1.26[-15]			
n=6	1.54[-15]	1.54[-17]	7.61[-17]	1.57[-16]	2.96[-16]	4.98[-16]	4.98[-16]		
n=7	1.80[-16]	2.73[-18]	1.08[-17]	1.50[-17]	2.48[-17]	5.13[-17]	4.87[-17]	2.64[-17]	
n=8	1.24[-17]	2.99[-19]	9.58[-19]	1.20[-18]	1.82[-18]	2.66[-18]	2.58[-18]	1.98[-18]	8.62[-19]
Ionization cross section			2.25[-18]						

08+ + H(1s) E= 4.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.22[-18]	2.52[-19]	9.69[-19]		
n=3	6.16[-19]	1.19[-19]	2.13[-19]	2.84[-19]	
n=4	7.41[-19]	9.78[-20]	1.33[-19]	3.29[-19]	1.80[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6	l=7
n=1	6.24[-26]	6.24[-26]							
n=2	5.68[-23]	2.44[-23]	3.24[-23]						
n=3	2.12[-19]	3.97[-20]	7.93[-20]	9.34[-20]					
n=4	2.95[-16]	4.16[-17]	1.23[-16]	8.38[-17]	4.62[-17]				
n=5	4.47[-15]	1.07[-16]	4.99[-16]	1.10[-15]	1.52[-15]	1.25[-15]			
n=6	1.71[-15]	1.22[-17]	5.81[-17]	1.20[-16]	2.85[-16]	5.84[-16]	6.50[-16]		
n=7	1.41[-16]	1.08[-18]	4.24[-18]	7.48[-18]	1.29[-17]	2.68[-17]	4.59[-17]	4.30[-17]	
n=8	1.32[-17]	1.84[-19]	6.21[-19]	1.09[-18]	1.58[-18]	3.56[-18]	2.83[-18]	1.87[-18]	1.45[-18]
Ionization cross section			3.06[-18]						

08+ + H(1s) E= 6.25keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	3.27[-18]	1.18[-18]	2.09[-18]		
n=3	1.83[-18]	3.73[-19]	5.98[-19]	8.56[-19]	
n=4	2.02[-18]	2.42[-19]	5.03[-19]	5.63[-19]	7.11[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6	l=7
n=1	1.89[-25]	1.89[-25]							
n=2	6.66[-23]	6.64[-24]	6.00[-23]						
n=3	1.23[-18]	2.70[-19]	4.95[-19]	4.61[-19]					
n=4	4.33[-16]	4.19[-17]	1.32[-16]	1.60[-16]	9.86[-17]				
n=5	4.21[-15]	7.66[-17]	3.49[-16]	8.47[-16]	1.47[-15]	1.47[-15]			
n=6	1.92[-15]	1.25[-17]	5.51[-17]	1.27[-16]	2.52[-16]	5.83[-16]	8.88[-16]		
n=7	1.78[-16]	1.35[-18]	5.21[-18]	1.00[-17]	1.70[-17]	2.02[-17]	4.53[-17]	7.92[-17]	
n=8	2.32[-17]	5.40[-19]	1.40[-18]	2.05[-18]	3.15[-18]	4.70[-18]	4.07[-18]	2.75[-18]	4.57[-18]
Ionization cross section			1.23[-17]						

O8+ + H(1s) E= 9.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	4.94[-18]	1.59[-18]	3.35[-18]		
n=3	3.13[-18]	7.35[-19]	1.19[-18]	1.21[-18]	
n=4	4.55[-18]	8.16[-19]	8.90[-19]	1.74[-18]	1.10[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6	l=7
n=1	6.13[-25]	6.13[-25]							
n=2	2.35[-21]	3.40[-22]	2.01[-21]						
n=3	2.55[-18]	5.55[-19]	1.18[-18]	8.11[-19]					
n=4	5.26[-16]	4.31[-17]	1.38[-16]	1.92[-16]	1.53[-16]				
n=5	3.81[-15]	6.49[-17]	2.61[-16]	6.64[-16]	1.26[-15]	1.56[-15]			
n=6	2.03[-15]	1.34[-17]	5.39[-17]	1.26[-16]	2.70[-16]	5.91[-16]	9.72[-16]		
n=7	2.15[-16]	1.61[-18]	6.30[-18]	1.20[-17]	2.13[-17]	3.51[-17]	5.22[-17]	8.65[-17]	
n=8	2.77[-17]	5.26[-19]	1.57[-18]	2.52[-18]	3.85[-18]	3.58[-18]	3.69[-18]	4.04[-18]	7.87[-18]
Ionization cross section			2.10[-17]						

O8+ + H(1s) E= 12.50keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	5.58[-18]	2.41[-18]	3.17[-18]		
n=3	4.81[-18]	9.06[-19]	2.09[-18]	1.82[-18]	
n=4	5.23[-18]	7.48[-19]	2.02[-18]	1.50[-18]	9.64[-19]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6	l=7
n=1	3.46[-26]	3.46[-26]							
n=2	3.09[-22]	1.63[-22]	1.46[-22]						
n=3	5.34[-18]	1.40[-18]	2.37[-18]	1.58[-18]					
n=4	6.18[-16]	4.56[-17]	1.42[-16]	2.21[-16]	2.09[-16]				
n=5	3.45[-15]	5.20[-17]	2.04[-16]	5.58[-16]	1.11[-15]	1.53[-15]			
n=6	1.98[-15]	1.19[-17]	4.75[-17]	1.20[-16]	2.81[-16]	5.68[-16]	9.51[-16]		
n=7	2.64[-16]	2.15[-18]	7.57[-18]	1.74[-17]	3.13[-17]	5.53[-17]	6.57[-17]	8.45[-17]	
n=8	3.75[-17]	5.42[-19]	1.94[-18]	3.43[-18]	5.15[-18]	6.91[-18]	6.60[-18]	4.77[-18]	8.11[-18]
Ionization cross section			2.03[-17]						

O8+ + H(1s) E= 25.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	3.50[-17]	1.60[-17]	1.90[-17]		
n=3	3.36[-17]	7.79[-18]	1.54[-17]	1.05[-17]	
n=4	3.79[-17]	8.77[-18]	1.41[-17]	1.10[-17]	4.04[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6	l=7
n=1	9.12[-26]	9.12[-26]							
n=2	7.70[-21]	3.80[-21]	3.90[-21]						
n=3	2.05[-17]	4.32[-18]	8.89[-18]	7.31[-18]					
n=4	6.97[-16]	3.60[-17]	1.26[-16]	2.45[-16]	2.90[-16]				
n=5	2.18[-15]	2.63[-17]	1.00[-16]	2.94[-16]	6.66[-16]	1.10[-15]			
n=6	1.61[-15]	1.13[-17]	4.29[-17]	1.10[-16]	2.32[-16]	4.10[-16]	8.06[-16]		
n=7	6.60[-16]	4.32[-18]	1.60[-17]	4.11[-17]	7.56[-17]	1.14[-16]	1.47[-16]	2.62[-16]	
n=8	2.26[-16]	1.87[-18]	6.42[-18]	1.65[-17]	2.50[-17]	3.78[-17]	3.82[-17]	5.14[-17]	4.91[-17]
Ionization cross section			9.43[-17]						



O8+ + H(1s) E= 50.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	1.79[-16]	7.93[-17]	1.00[-16]		
n=3	1.34[-16]	3.91[-17]	5.83[-17]	3.69[-17]	
n=4	2.42[-16]	5.38[-17]	1.06[-16]	6.31[-17]	1.93[-17]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6	l=7
n=1	2.80[-26]	2.80[-26]							
n=2	1.20[-19]	5.27[-20]	6.69[-20]						
n=3	3.90[-17]	6.22[-18]	1.58[-17]	1.70[-17]					
n=4	4.31[-16]	1.27[-17]	5.07[-17]	1.38[-16]	2.30[-16]				
n=5	8.72[-16]	9.95[-18]	3.81[-17]	9.46[-17]	2.08[-16]	5.21[-16]			
n=6	8.55[-16]	6.83[-18]	2.52[-17]	6.01[-17]	1.14[-16]	1.97[-16]	4.52[-16]		
n=7	6.37[-16]	4.12[-18]	1.70[-17]	3.54[-17]	6.84[-17]	1.04[-16]	1.93[-16]	2.16[-16]	
n=8	4.39[-16]	3.00[-18]	1.23[-17]	2.33[-17]	4.41[-17]	6.10[-17]	9.96[-17]	1.30[-16]	6.58[-17]
Ionization cross section			1.06[-15]						

O8+ + H(1s) E= 75.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	3.02[-16]	1.32[-16]	1.70[-16]		
n=3	1.97[-16]	6.12[-17]	8.29[-17]	5.28[-17]	
n=4	3.82[-16]	1.05[-16]	1.67[-16]	8.32[-17]	2.62[-17]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6	l=7
n=1	1.89[-26]	1.89[-26]							
n=2	3.19[-19]	1.34[-19]	1.85[-19]						
n=3	3.86[-17]	4.29[-18]	1.44[-17]	1.99[-17]					
n=4	2.34[-16]	5.42[-18]	2.16[-17]	6.06[-17]	1.47[-16]				
n=5	3.99[-16]	4.66[-18]	1.80[-17]	4.20[-17]	8.60[-17]	2.48[-16]			
n=6	4.12[-16]	3.58[-18]	1.30[-17]	3.08[-17]	5.54[-17]	1.23[-16]	1.85[-16]		
n=7	3.54[-16]	2.76[-18]	8.85[-18]	2.28[-17]	3.78[-17]	7.93[-17]	1.19[-16]	8.30[-17]	
n=8	2.94[-16]	2.94[-18]	6.77[-18]	2.04[-17]	2.72[-17]	5.40[-17]	8.44[-17]	7.11[-17]	2.70[-17]
Ionization cross section			2.07[-15]						

O8+ + H(1s) E=100.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	4.19[-16]	1.45[-16]	2.74[-16]		
n=3	2.34[-16]	7.39[-17]	1.02[-16]	5.78[-17]	
n=4	4.01[-16]	1.25[-16]	1.70[-16]	8.56[-17]	2.09[-17]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6	l=7
n=1	2.09[-25]	2.09[-25]							
n=2	5.48[-19]	2.23[-19]	3.25[-19]						
n=3	3.14[-17]	2.49[-18]	1.05[-17]	1.84[-17]					
n=4	1.32[-16]	2.76[-18]	1.16[-17]	2.80[-17]	8.99[-17]				
n=5	2.01[-16]	2.47[-18]	9.51[-18]	2.07[-17]	4.83[-17]	1.20[-16]			
n=6	2.05[-16]	1.95[-18]	7.24[-18]	1.49[-17]	3.35[-17]	6.98[-17]	7.72[-17]		
n=7	1.80[-16]	1.37[-18]	6.02[-18]	1.08[-17]	2.49[-17]	4.88[-17]	5.75[-17]	3.11[-17]	
n=8	1.60[-16]	1.10[-18]	5.59[-18]	9.33[-18]	1.93[-17]	3.95[-17]	4.52[-17]	3.05[-17]	9.24[-18]
Ionization cross section			2.57[-15]						

08+ + H(1s) E=150.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	6.19[-16]	1.47[-16]	4.72[-16]		
n=3	2.14[-16]	4.89[-17]	1.12[-16]	5.36[-17]	
n=4	3.27[-16]	1.11[-16]	1.38[-16]	6.59[-17]	1.21[-17]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6	l=7
n=1	2.93[-24]	2.93[-24]							
n=2	8.28[-19]	3.27[-19]	5.01[-19]						
n=3	1.81[-17]	1.12[-18]	4.20[-18]	1.27[-17]					
n=4	4.82[-17]	1.21[-18]	3.50[-18]	9.71[-18]	3.38[-17]				
n=5	6.13[-17]	1.08[-18]	2.79[-18]	7.74[-18]	2.05[-17]	2.92[-17]			
n=6	6.04[-17]	8.74[-19]	2.24[-18]	6.02[-18]	1.54[-17]	2.22[-17]	1.37[-17]		
n=7	5.42[-17]	7.48[-19]	1.87[-18]	4.77[-18]	1.19[-17]	1.70[-17]	1.36[-17]	4.33[-18]	
n=8	4.87[-17]	6.34[-19]	1.71[-18]	3.62[-18]	9.45[-18]	1.44[-17]	1.22[-17]	5.59[-18]	1.06[-18]
Ionization cross section			2.74[-15]						

08+ + H(1s) E=200.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	7.44[-16]	1.34[-16]	6.10[-16]		
n=3	2.17[-16]	3.18[-17]	1.29[-16]	5.66[-17]	
n=4	2.95[-16]	8.51[-17]	1.30[-16]	6.58[-17]	1.40[-17]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6	l=7
n=1	1.73[-23]	1.73[-23]							
n=2	8.41[-19]	2.56[-19]	5.85[-19]						
n=3	1.04[-17]	5.05[-19]	1.99[-18]	7.92[-18]					
n=4	2.05[-17]	4.40[-19]	1.56[-18]	4.75[-18]	1.37[-17]				
n=5	2.22[-17]	3.51[-19]	1.16[-18]	3.62[-18]	8.80[-18]	8.26[-18]			
n=6	2.00[-17]	2.90[-19]	1.01[-18]	2.79[-18]	6.30[-18]	6.77[-18]	2.87[-18]		
n=7	1.78[-17]	3.07[-19]	8.18[-19]	2.51[-18]	5.05[-18]	5.27[-18]	3.06[-18]	7.45[-19]	
n=8	1.67[-17]	3.46[-19]	8.92[-19]	2.33[-18]	4.46[-18]	4.62[-18]	2.83[-18]	1.05[-18]	1.83[-19]
Ionization cross section			2.56[-15]						

08+ + H(1s) E=400.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	8.78[-16]	9.67[-17]	7.82[-16]		
n=3	1.99[-16]	1.94[-17]	1.34[-16]	4.60[-17]	
n=4	1.68[-16]	3.18[-17]	8.13[-17]	4.28[-17]	1.24[-17]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6	l=7
n=1	1.70[-22]	1.70[-22]							
n=2	4.00[-19]	6.12[-20]	3.39[-19]						
n=3	1.38[-18]	5.16[-20]	2.89[-19]	1.04[-18]					
n=4	1.54[-18]	3.36[-20]	2.27[-19]	6.48[-19]	6.32[-19]				
n=5	1.31[-18]	2.50[-20]	1.72[-19]	4.44[-19]	4.85[-19]	1.84[-19]			
n=6	1.09[-18]	2.21[-20]	1.48[-19]	3.38[-19]	3.52[-19]	1.93[-19]	3.89[-20]		
n=7	9.25[-19]	2.16[-20]	1.28[-19]	2.71[-19]	2.74[-19]	1.65[-19]	5.41[-20]	1.18[-20]	
n=8	8.06[-19]	1.88[-20]	1.09[-19]	2.26[-19]	2.27[-19]	1.36[-19]	6.46[-20]	1.94[-20]	4.41[-21]
Ionization cross section			1.96[-15]						

O8+ + H(1s) E=600.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	8.47[-16]	7.58[-17]	7.72[-16]		
n=3	1.82[-16]	1.45[-17]	1.33[-16]	3.41[-17]	
n=4	1.18[-16]	1.74[-17]	6.47[-17]	2.83[-17]	7.50[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6	l=7
n=1	4.86[-22]	4.86[-22]							
n=2	1.53[-19]	8.88[-21]	1.44[-19]						
n=3	3.03[-19]	9.67[-21]	1.03[-19]	1.91[-19]					
n=4	2.82[-19]	7.16[-21]	1.04[-19]	9.89[-20]	7.25[-20]				
n=5	2.11[-19]	4.43[-21]	4.14[-20]	5.08[-20]	2.25[-20]	9.13[-20]			
n=6	1.51[-19]	2.41[-21]	6.83[-23]	1.90[-20]	6.95[-20]	3.39[-21]	5.65[-20]		
n=7	1.09[-19]	1.61[-25]	4.25[-24]	1.01[-20]	4.56[-20]	2.49[-21]	4.36[-20]	7.39[-21]	
n=8	8.79[-20]	1.64[-26]	2.24[-23]	2.35[-20]	1.23[-20]	2.40[-21]	3.14[-21]	3.43[-21]	4.31[-20]

Ionization cross section 1.52[-15]

O8+ + H(1s) E=800.00keV/amu

Excitation cross sections

	sum	l=0	l=1	l=2	l=3
n=2	8.77[-16]	6.05[-17]	8.16[-16]		
n=3	1.80[-16]	1.38[-17]	1.39[-16]	2.70[-17]	
n=4	1.01[-16]	1.26[-17]	6.25[-17]	2.21[-17]	4.15[-18]

Capture cross sections

	sum	l=0	l=1	l=2	l=3	l=4	l=5	l=6	l=7
n=1	1.48[-21]	1.48[-21]							
n=2	6.20[-20]	1.04[-20]	5.16[-20]						
n=3	8.50[-20]	7.74[-21]	3.13[-20]	4.60[-20]					
n=4	6.71[-20]	5.25[-21]	2.34[-20]	2.89[-20]	9.55[-21]				
n=5	4.99[-20]	3.68[-21]	1.28[-20]	7.35[-21]	3.26[-21]	2.27[-20]			
n=6	3.79[-20]	2.56[-21]	1.12[-23]	2.12[-21]	2.00[-20]	3.33[-22]	1.29[-20]		
n=7	2.99[-20]	1.85[-26]	1.27[-24]	2.45[-21]	1.55[-20]	1.98[-22]	9.20[-21]	2.56[-21]	
n=8	2.46[-20]	9.97[-28]	5.52[-25]	5.74[-21]	2.36[-21]	4.59[-23]	3.64[-22]	9.05[-22]	1.52[-20]

Ionization cross section 1.18[-15]

## Publication List of NIFS-DATA Series

- NIFS-DATA-1 Y. Yamamura, T. Takiguchi and H. Tawara,  
*Data Compilation of Angular Distributions of Sputtered Atoms*;  
Jan. 1990
- NIFS-DATA-2 T. Kato, J. Lang and K. E. Berrington,  
*Intensity Ratios of Emission Lines from OV Ions for Temperature  
and Density Diagnostics* ; Mar. 1990 [ *At Data and Nucl Data Tables*  
44(1990)133]
- NIFS-DATA-3 T. Kaneko,  
*Partial Electronic Straggling Cross Sections of Atoms for Protons*  
;Mar. 1990
- NIFS-DATA-4 T. Fujimoto, K. Sawada and K. Takahata,  
*Cross Section for Production of Excited Hydrogen Atoms  
Following Dissociative Excitation of Molecular Hydrogen by  
Electron Impact* ; Mar. 1990
- NIFS-DATA-5 H. Tawara,  
*Some Electron Detachment Data for  $H^-$  Ions in Collisions with  
Electrons, Ions, Atoms and Molecules –an Alternative Approach to  
High Energy Neutral Beam Production for Plasma Heating–* ;  
Apr. 1990
- NIFS-DATA-6 H. Tawara, Y. Itikawa, H. Nishimura, H. Tanaka and Y. Nakamura,  
*Collision Data Involving Hydro-Carbon Molecules* ; July 1990  
[Supplement to *Nucl. Fusion* 2(1992)25]
- NIFS-DATA-7 H.Tawara,  
*Bibliography on Electron Transfer Processes in Ion-  
Ion/Atom/Molecule Collisions –Updated 1990–*; Aug. 1990
- NIFS-DATA-8 U.I.Safronova, T.Kato, K.Masai, L.A.Vainshtein and A.S.Shlyapzeva,  
*Excitation Collision Strengths, Cross Sections and Rate  
Coefficients for OV, SiXI, FeXXIII, MoXXXIX by Electron Impact  
( $1s^22s^2-1s^22s2p-1s^22p^2$  Transitions)* Dec.1990
- NIFS-DATA-9 T.Kaneko,  
*Partial and Total Electronic Stopping Cross Sections of Atoms and  
Solids for Protons*; Dec. 1990
- NIFS-DATA-10 K.Shima, N.Kuno, M.Yamanouchi and H.Tawara,  
*Equilibrium Charge Fraction of Ions of  $Z=4-92$  (0.02-6 MeV/u) and  
 $Z=4-20$  (Up to 40 MeV/u) Emerging from a Carbon Foil*; Jan.1991  
[*AT.Data and Nucl. Data Tables* 51(1992)173]

- NIFS-DATA-11 T. Kaneko, T. Nishihara, T. Taguchi, K. Nakagawa, M. Murakami, M. Hosono, S. Matsushita, K. Hayase, M. Moriya, Y. Matsukuma, K. Miura and Hiro Tawara,  
*Partial and Total Electronic Stopping Cross Sections of Atoms for a Singly Charged Helium Ion: Part I*; Mar. 1991
- NIFS-DATA-12 Hiro Tawara,  
*Total and Partial Cross Sections of Electron Transfer Processes for  $Be^{q+}$  and  $B^{q+}$  Ions in Collisions with H,  $H_2$  and He Gas Targets - Status in 1991-*; June 1991
- NIFS-DATA-13 T. Kaneko, M. Nishikori, N. Yamato, T. Fukushima, T. Fujikawa, S. Fujita, K. Miki, Y. Mitsunobu, K. Yasuhara, H. Yoshida and Hiro Tawara,  
*Partial and Total Electronic Stopping Cross Sections of Atoms for a Singly Charged Helium Ion : Part II*; Aug. 1991
- NIFS-DATA-14 T. Kato, K. Masai and M. Arnaud,  
*Comparison of Ionization Rate Coefficients of Ions from Hydrogen through Nickel* ; Sep. 1991
- NIFS-DATA-15 T. Kato, Y. Itikawa and K. Sakimoto,  
*Compilation of Excitation Cross Sections for He Atoms by Electron Impact*, Mar. 1992
- NIFS-DATA-16 T. Fujimoto, F. Koike, K. Sakimoto, R. Okasaka, K. Kawasaki, K. Takiyama, T. Oda and T. Kato,  
*Atomic Processes Relevant to Polarization Plasma Spectroscopy* ; Apr. 1992
- NIFS-DATA-17 H. Tawara,  
*Electron Stripping Cross Sections for Light Impurity Ions in Colliding with Atomic Hydrogens Relevant to Fusion Research*; Apr. 1992
- NIFS-DATA-18 T. Kato,  
*Electron Impact Excitation Cross Sections and Effective Collision Strengths of N Atom and N-Like Ions -A Review of Available Data and Recommendations-* ; Sep. 1992
- NIFS-DATA-19 Hiro Tawara,  
*Atomic and Molecular Data for  $H_2O$ , CO &  $CO_2$  Relevant to Edge Plasma Impurities* , Oct. 1992
- NIFS-DATA-20 Hiro. Tawara,  
*Bibliography on Electron Transfer Processes in Ion-Atom/Molecule Collisions -Updated 1993-*; Apr. 1993

- NIFS-DATA-21 J. Dubau and T. Kato,  
*Dielectronic Recombination Rate Coefficients to the Excited States of C I from C II*; Aug. 1994
- NIFS-DATA-22 T. Kawamura, T. Ono, Y. Yamamura,  
*Simulation Calculations of Physical Sputtering and Reflection Coefficient of Plasma-Irradiated Carbon Surface*; Aug. 1994
- NIFS-DATA-23 Y. Yamamura and H. Tawara,  
*Energy Dependence of Ion-Induced Sputtering Yields from Monoatomic Solids at Normal Incidence*; Mar. 1995
- NIFS-DATA-24 T. Kato, U. Safronova, A. Shlyaptseva, M. Cornille, J. Dubau,  
*Comparison of the Satellite Lines of H-like and He-like Spectra*; Apr. 1995
- NIFS-DATA-25 H. Tawara,  
*Roles of Atomic and Molecular Processes in Fusion Plasma Researches - from the cradle (plasma production) to the grave (after-burning) -*; May 1995
- NIFS-DATA-26 N. Toshima and H. Tawara  
*Excitation, Ionization, and Electron Capture Cross Sections of Atomic Hydrogen in Collisions with Multiply Charged Ions*;  
July 1995